

NIDA Clinical Trials Network

Focus Group Demographics (D69)

Web Version: 1.0; 2.01; 05-25-18

Focus group number (FGNUM):

Participant number (PPTNUM):

1. What is your date of birth?(DEBRTHDT)

 (mm/dd/yyyy)

2. What is your sex?(DESEX)

 1-Male 2-Female 97-Don't know 98-Refused to answer

3. Do you consider yourself to be Hispanic/Latino?(DEHISPNC)

 0-No 1-Yes 97-Don't know 98-Refused to answer

If "Yes", indicate the group that represents your Hispanic origin or ancestry:
(DEHISPSP)

1-Puerto Rican
 2-Dominican (Republic)
 3-Mexican/Mexican American
 5-Chicano
 6-Cuban/Cuban American
 *Additional Options Listed Below ▼

4. What race do you consider yourself to represent? (Check all that apply)

American Indian or Alaska Native:(DEAMEIND)

 1-

Asian:(DEASIAN)

 1-

Asian Indian:(DEASAIND)

 1-

Chinese:(DECHINA)

 1-

Filipino:(DEFILIPN)

 1-

Japanese:(DEJAPAN)

 1-

Korean:(DEKOREA)

 1-

Vietnamese:(DEVIETNM)

 1-

Specify other Asian:(DEASIAOT)

Black or African American:(DEBLACK)

 1-

Native Hawaiian or Pacific Islander:(DEHAWAII)

 1-

Native Hawaiian:(DENATHAW)

 1-

Guamanian or Chamorro:(DEGUAM)

 1-

Samoan:(DESAMOAN)

 1-

Specify other Pacific Islander:(DEPACISO)

White:(DEWHITE)

 1-

Some other race:(DERACEOT)

 1- Specify:(DERACESP)

-or-

Don't know:(DERACEDK)

 1-

Refused:(DERACERF)

 1-

5. What is the highest grade or level of school you have completed or the highest degree you have received?(DEEDUCTN)

00-Never attended / kindergarten only
 01-1st grade
 02-2nd grade
 03-3rd grade
 04-4th grade
 *Additional Options Listed Below ▼

6. What is your current employment status?(DEJOB)

01-Working now
 02-Only temporarily laid off, sick leave, or maternity leave
 03-Looking for work, unemployed
 04-Retired
 05-Disabled, permanently or temporarily
 *Additional Options Listed Below ▼

If "Other", specify:(DEJOBSP)

7. What is your current job title? Please select N/A for patient focus group participants.
(DETITLE)

If "Other", specify:(*DETITLSP*)

- 01-Physician
- 02-Mid-level (PA, APRN)
- 03-Nurse (RN)
- 04-Social worker
- 05-Medical assistant/technician
- *Additional Options Listed Below

8. What is your current marital status?(*D69ARTL*)

- 01-Married
- 02-Widowed
- 03-Divorced
- 04-Separated
- 05-Never married
- *Additional Options Listed Below

Comments:(*D69COMM*)

Additional Selection Options for D69

Focus group number (FGNUM) (key field):

01-1
02-2
03-3
04-4
05-5
06-6
07-7
08-8
09-9
10-10
11-11
12-12
13-13
14-14
15-15
16-16
17-17
18-18
19-19
20-20
21-21
22-22
23-23
24-24
25-25
26-26
27-27
28-28
29-29
30-30
31-31
32-32
33-33
34-34
35-35
36-36
37-37
38-38
39-39
40-40
41-41
42-42
43-43
44-44
45-45
46-46
47-47
48-48
49-49
50-50
51-51
52-52
53-53
54-54
55-55
56-56
57-57
58-58
59-59
60-60
61-61
62-62
63-63
64-64
65-65
66-66
67-67
68-68
69-69
70-70
71-71
72-72
73-73
74-74
75-75
76-76
77-77
78-78
79-79
80-80
81-81
82-82
83-83
84-84
85-85
86-86
87-87
88-88

89-89
 90-90
 91-91
 92-92
 93-93
 94-94
 95-95
 96-96
 97-97
 98-98
 99-99

Participant number (PPTNUM) (key field):

01-1
 02-2
 03-3
 04-4
 05-5
 06-6
 07-7
 08-8
 09-9
 10-10
 11-11
 12-12
 13-13
 14-14
 15-15
 16-16
 17-17
 18-18
 19-19
 20-20

If "Yes", indicate the group that represents your Hispanic origin or ancestry:

8-Central or South American
 9-Other Latin American
 99-Other Hispanic or Latino
 98-Refused
 97-Don't know

What is the highest grade or level of school you have completed or the highest degree you have received?

05-5th grade
 06-6th grade
 07-7th grade
 08-8th grade
 09-9th grade
 10-10th grade
 11-11th grade
 12-12th grade, no diploma
 13-High school graduate
 14-GED or equivalent
 15-Some college, no degree
 16-Associate's degree: occupational, technical, or vocational program
 17-Associate's degree: academic program
 18-Bachelor's degree (e.g., BA, AB, BS, BBA)
 19-Master's degree (e.g., MA, MS, MEng, MEd, MBA)
 20-Professional school degree (e.g., MD, DDS, DVM, JD)
 21-Doctoral degree (e.g., PhD, EdD)
 98-Refused
 97-Don't know

What is your current employment status?

06-Keeping house
 07-Student
 99-Other

What is your current job title? Please select N/A for patient focus group participants.

06-Clinical pharmacist
 07-Substance use counselor/health promotion advocate(on-site hospital employee)
 08-Administrator-non clinician
 09-Administrative staff
 10-Recovery coach/peer consult (not on-site hospital employee)
 96-N/A
 99-Other

What is your current marital status?

06-Living with partner
 98-Refused
 97-Don't know

NIDA Clinical Trials Network

00691B (ENR)

Web Version: 1.0; 2.00; 05-11-18

1. Date baseline survey distributed:(R10DS1DT) (mm/dd/yyyy)

If applicable, reason baseline survey not completed:(R10DISP1)

- 01-Refused
- 02-Not employed
- 03-Unable to contact
- 99-Other

2. Date Followup 1 survey distributed:(R10DS2DT) (mm/dd/yyyy)

If applicable, reason followup 1 survey not completed:(R10DISP2)

- 01-Refused
- 02-Not employed
- 03-Unable to contact
- 99-Other

3. Date Followup 2 survey distributed:(R10DS3DT) (mm/dd/yyyy)

If applicable, reason followup 2 survey not completed:(R10DISP3)

- 01-Refused
- 02-Not employed
- 03-Unable to contact
- 99-Other

Survey distributed to:

4. Name:(R10NAME)

5. If provider type is "ED prescriber" or "ED non-prescriber", then position category: (R10POSTC)

- 01-Physicians
- 02-Mid-levels (PAs, APRNs)
- 03-Nursing (RN)
- 04-Social workers
- 05-Medical assistants/technicians
- 06-Clinical pharmacist
- 07-Substance use counselor/health promotion advocate (on-site hospital employee)
- 08-Administrator-non clinician
- 09-Administrative staff
- 10-Recovery coach/peer consult (not on-site hospital employee)
- 99-Other

If "Other", specify:(R10POSSP)

If "Physicians", physician position:(R10PHPOS)

- 02-Attending
- 03-Fellow
- 04-Resident

6. Title:(R10TITLE)

7. Position:(R10POSTL)

8. Clinical FTE:(R10FTE) (x.x)

9. Email:(R10EMAIL)

10. Community facility ID number:(R10COMFC) (xxxx)

11. Provider type:(R10PVTP2)
 1-ED prescriber 2-ED non-prescriber 3-Community

12. Required to complete Site Characteristics CRFs:(R10SCHAR)
 0-No 1-ED 2-OTP 3-Community

Comments:(R10COMM)

NIDA Clinical Trials Network

Focus Group Tracking (FGT)

Web Version: 1.0; 2.00; 10-09-18

Focus group number (FGNUM):

1. Focus group date:(FGTFGDT)

 (mm/dd/yyyy)

2. Focus group type:(FGTFGTP)

- 01-ED
- 02-Community
- 03-Patient

If focus group type is "ED", please specify position:(FGTFGPOS)

- 01-Faculty
- 02-Residents
- 03-Social Work/Case Management
- 04-Leadership
- 05-Pharmacists
- *Additional Options Listed Below

3. Focus group location:(FGTFGLOC)

- 01-JHU
- 02-Man Alive
- 03-911 Broadway
- 04-CAM
- 05-Reach
- *Additional Options Listed Below

4. Focus group location:(FGTFGLC2)

5. Focus group leader:(FGTFGLDR)

6. RA assigned to focus group:(FGTFGRA)

Comments:(FGTCOMM)

Additional Selection Options for FGT

Focus group number (*FGNUM*) (key field):

01-1
02-2
03-3
04-4
05-5
06-6
07-7
08-8
09-9
10-10
11-11
12-12
13-13
14-14
15-15
16-16
17-17
18-18
19-19
20-20
21-21
22-22
23-23
24-24
25-25
26-26
27-27
28-28
29-29
30-30
31-31
32-32
33-33
34-34
35-35
36-36
37-37
38-38
39-39
40-40
41-41
42-42
43-43
44-44
45-45
46-46
47-47
48-48
49-49
50-50
51-51
52-52
53-53
54-54
55-55
56-56
57-57
58-58
59-59
60-60
61-61
62-62
63-63
64-64
65-65
66-66
67-67
68-68
69-69
70-70
71-71
72-72
73-73
74-74
75-75
76-76
77-77
78-78
79-79
80-80
81-81
82-82
83-83
84-84
85-85
86-86
87-87
88-88

89-89
90-90
91-91
92-92
93-93
94-94
95-95
96-96
97-97
98-98
99-99

If focus group type is "ED", please specify position:

06-Nurses
07-Mid-Level (PAs)

Focus group location:

06-Powell Recovery
07-JH Bayview

NIDA Clinical Trials Network

Individual Characteristics (ICH)

Web Version: 1.0; 2.01; 05-11-18

Segment (PROTSEG): B

Visit number (VISNO):

Which title most accurately describes your current role in your Emergency Department (ED) (not academic role)?(ICROLE)

01-Nursing leadership (e.g., administrators, charge nurses) ▲
 03-MD leadership
 04-Administrator (non-clinician)
 05-Physician
 06-Nurse practitioner
 07-Physician assistant
 08-Social worker
 09-Nurse (staff)
 12-Medical assistant/technician
 13-Clinical pharmacist
 14-Substance use counselor
 99-Other ▼

Which title most accurately describes your current role in your program?(ICROLE)

02-Nursing leadership ▲
 03-MD leadership
 04-Administrator (non-clinician)
 05-Physician
 06-Nurse practitioner
 07-Physician assistant
 08-Social worker
 10-Nurse
 11-Counselor
 12-Medical assistant/technician
 13-Clinical pharmacist
 15-Administrative staff (scheduling, check patients in for their visits, etc.)
 99-Other ▼

Specify role:(ICROLSP)

What is your specialty?(ICPSPECL)

01-Emergency medicine ▲
 02-Psychiatry
 99-Other ▼

What is your specialty?(ICPSPECL)

02-Psychiatry ▲
 03-Internal medicine
 04-Medicine - Pediatrics
 05-Family practice
 99-Other ▼

Specify specialty:(ICPSPSP)

Are you board certified in Addiction Medicine/Psychiatry?(ICBCAMP)

0-No 1-Yes

Are you board certified in Addiction Medicine?(ICBCAM)

0-No 1-Yes

Indicate your current position:(ICPPOS)

02-Attending ▲
 03-Fellow
 04-Resident ▼

In the past year, did you attend a conference/lecture on treatment of opioid use disorder with buprenorphine (e.g., Suboxone)?(ICCONFER)

0-No 1-Yes

In the past year, did you attend or complete a DATA 2000 training on buprenorphine prescribing that would allow you to obtain a DEA waiver?(ICCTRAIN)

0-No 1-Yes

Do you have a DEA waiver that allows you to prescribe buprenorphine for the treatment of opioid use disorder?(ICWAIVER)

0-No 1-Yes 3-Current regulations do not allow for my clinician category to obtain

such a waiver

Estimate how long ago you obtained this waiver:(ICWAVTMY)

years: [] (xx) or (ICWAVTMM)months: [] (xx)

Estimate the number of patients with opioid use disorder you are prescribing buprenorphine to **currently**:(ICCPTRXB)

[] (xxx) patients

Estimate the number of patients with opioid use disorder you have prescribed buprenorphine to **in the past year**:(ICCRXPBY)

[] (xxxx) patients

Estimate the number of patients with opioid use disorder you have prescribed buprenorphine to **in your life**:(ICCRXBPL)

[] (xxxxx) patients

Have you ever prescribed injectable (e.g., Vivitrol) or oral naltrexone to treat opioid use disorder?(ICNALTRX)

0-No 1-Yes

Estimate the number of patients you have prescribed injectable or oral naltrexone to treat opioid use disorder **in the past year**:(ICNALXYR)

[] (xxxx) patients

Estimate the number of patients you have prescribed injectable or oral naltrexone to treat opioid use disorder **in your life**:(ICNALXLF)

[] (xxxxx) patients

How long have you worked at your ED?(ICWORKYR)

years: [] (xx) or (ICWORKMO)months: [] (xx)

How long have you worked at your practice/program?(ICWORKYR)

years: [] (xx) or (ICWORKMO)months: [] (xx)

How long have you been in your current role at your ED?(ICROLEYR)

years: [] (xx) or (ICROLEMO)months: [] (xx)

How long have you been in your current role at your practice/program?(ICROLEYR)

years: [] (xx) or (ICROLEMO)months: [] (xx)

In what year did you or will you complete your clinical training?(ICDEGYR)

[] (xxxx)

In what year did you or will you complete your clinical degree?(ICDEGYR)

[] (xxxx)

Indicate the amount of time per week you spend working in your ED:(ICWORKHR)

[] (xxx) hours

Indicate the amount of time per week you spend working at your practice/program caring for patients:(ICWORKHR)

[] (xxx) hours

In your opinion, which approach do you think would be most feasible to improve treatment for opioid use disorder in your ED? (Select one)(ICAPPRCH)

- 01-Each clinician in the ED provides treatment for opioid use disorder
- 02-A small group of the current clinicians in the ED are appointed as the opioid use disorder treatment
- 03-An opioid use disorder treatment specialist is brought into the ED to provide treatment for opioid u
- 04-No providers in the ED receive training or provide treatment for opioid use disorder on site; rather
- 99-Other

In your opinion, which approach do you think would be most feasible to improve treatment for opioid use disorder in your practice/program for patients referred from your local ED? (Select one)(ICAPPRCH)

- 05-Each clinician in the practice/program provides treatment for opioid use disorder to patients refer
- 06-One or a small group of the current clinicians in the practice/program is/are appointed as the opioi
- 07-An opioid use disorder treatment specialist is brought into the practice/program to provide treatmen
- 08-No providers in the practice/program receive training or provide treatment for opioid use disorder o
- 99-Other

Specify approach:(ICITOTSP)

[]

With which gender do you identify?(ICGENDER)

- 1-Male
- 2-Female
- 3-Gender neutral
- 4-Prefer not to answer

What year were you born?(ICBRTHYR)

[] (xxxx)

What is your ethnicity?(ICETHNIC)

- 1-Hispanic or Latino
- 2-Not Hispanic or Latino

What is your race? (select all that apply)

No Yes

White (ICWHITE)

Black or African American (ICBLACK)

Asian (ICASIAN)

Native Hawaiian or other Pacific Islander (ICHAWISL)

American Indian or Alaskan Native (ICINDALA)

Prefer not to answer (ICRACERF)

NIDA Clinical Trials Network

Organizational Readiness to Change Assessment (ORCA) Community (OC1)

Web Version: 1.0; 1.01; 03-14-18

Segment (PROTSEG): B

Visit number (VISNO):

We need your help assessing your and your colleagues' readiness to continue medication assisted treatment (MAT) for patients with an opioid use disorder who have received ED-initiated buprenorphine. By an opioid use disorder we mean patients with uncontrolled use (addiction) of illicit (e.g., heroin) or prescription opioids. By MAT, we mean use of medications for the treatment of an opioid use disorder (i.e., buprenorphine, methadone, naltrexone). By treatment engagement, we mean that the patient is receiving treatment for their opioid use disorder with MAT. In the Evidence section below, we ask you to provide your opinions regarding MAT for patients with an opioid use disorder. In the Context section that follows, we ask some questions about features of your community-based practice/treatment program. Please consider each question carefully and select the answer that best reflects your opinion.

I. EVIDENCE ASSESSMENT

The following set of questions are about the evidence that ED-initiated buprenorphine with referral to community-based practices/programs improves treatment engagement among patients with an opioid use disorder. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree).

BUPRENORPHINE FOR AN OPIOID USE DISORDER

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
1. In my opinion, ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/programs will improve treatment engagement among patients with an opioid use disorder.	(ORMYIMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
2. Respected clinical experts in my institution feel that ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program will improve treatment engagement among patients with an opioid use disorder.	(OREXPOUT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
3. Changes to improve and systematize ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
a. are supported by randomized controlled trials (RCTs) or other scientific evidence from my practice/program.	(ORRCTPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. are supported by randomized controlled trials (RCTs) or other scientific evidence from other health care systems.	(ORRCTHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. should be effective, based on current scientific knowledge.	(OREFFECT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
4. ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
a. is supported by clinical experience with my practice's/program's patients.	(ORCLEPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is supported by clinical experiences with patients in other health care systems.	(ORCLEHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. conforms to the opinions of clinical experts in this setting.	(OREXPRT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. has been well-accepted by my practice's/program's patients in a pilot study.	(ORACCEPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is consistent with clinical practices that have been accepted by my practice's/program's patients.	(ORPRACT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. take into consideration the needs and preferences of my practice's/program's patients.	(ORNEEDPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. appear to have more advantages than disadvantages for my practice's/program's patients.	(ORMADVGTG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

II. CONTEXT ASSESSMENT

The following set of questions are about your experience in your community-based practice/treatment program. For each of the following statements, please indicate how frequently you have observed the following sets of behaviors, from 1 (very infrequently) to 5 (very frequently).

1. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

2.

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. reward clinical innovation and creativity to improve patient care.	(ORLREWRD) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. solicit opinions of clinical staff regarding decisions about patient care.	(ORLOPIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. seek ways to improve patient education and increase patient participation in treatment.	(ORLEDU) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. How frequently have you observed staff members in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. have a sense of personal responsibility for improving patient care and outcomes.	(ORSRESPN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. cooperate to maintain and improve effectiveness of patient care.	(ORSFCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. be willing to innovate and/or experiment to improve clinical procedures.	(ORSINVTE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. be receptive to change in clinical processes.	(ORSCHANG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. provide effective management for continuous improvement of patient care.	(ORLMANAG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. clearly define areas of responsibility and authority for clinical managers and staff.	(ORLRESP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. promote team building to solve clinical care problems.	(ORLTEAM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. promote communication among clinical services and units.	(ORLCOMM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable

a. provide staff with information on your practice's/program's performance measures and guidelines.	(ORLPERFM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. establish clear goals for patient care processes and outcomes.	(ORLGOAL) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. provide staff members with feedback/data on effects of clinical decisions.	(ORLFEEDB) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. hold staff members accountable for achieving results.	(ORLACCNT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6. How frequently have you observed opinion leaders in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. express belief that the current practice patterns can be improved.	(ORIMPROV) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. encourage and support changes in practice patterns to improve patient care.	(ORCHANGE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. demonstrate willingness to try new clinical protocols.	(ORTRYNEW) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. work cooperatively with senior leadership/clinical management (e.g., medical director) to make appropriate changes.	(ORWCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. In general in your practice/program, when there is agreement that change needs to happen, how frequently have you or your colleagues:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. had the necessary support in terms of budget or financial resources.	(ORSBUDGT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. had the necessary support in terms of training.	(ORSTRAIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. had the necessary support in terms of facilities.	(ORSFACTY) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. had the necessary support in terms of staffing.	(ORSSTAFF) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments:(OC1COMM)

If you enter comments, select the blue save icon below to save your responses before logging out.

Thank you for taking the time to complete this survey! Please logout prior to closing your browser.

NIDA Clinical Trials Network

Organizational Readiness to Change Assessment (ORCA+) Community (OC2)

Web Version: 1.0; 1.00; 02-07-18

Segment (PROTSEG): B

Visit number (VISNO):

We need your help assessing your and your colleagues' readiness to continue medication assisted treatment (MAT) for patients with an opioid use disorder who have received ED-initiated buprenorphine. By an opioid use disorder we mean patients with uncontrolled use (addiction) of illicit (e.g., heroin) or prescription opioids. By MAT, we mean use of medications for the treatment of an opioid use disorder (i.e., buprenorphine, methadone, naltrexone). By treatment engagement, we mean that the patient is receiving treatment for their opioid use disorder with MAT. In the Evidence section below, we ask you to provide your opinions regarding MAT for patients with an opioid use disorder. In the Context section that follows, we ask some questions about features of your community-based practice/treatment program. Lastly, in the Facilitation section, we ask you about your opinions regarding the new program to promote ED-initiated buprenorphine with referral for ongoing MAT to community-based practices/programs, including your program/practice. Please consider each question carefully and select the answer that best reflects your opinion.

I. EVIDENCE ASSESSMENT

The following set of questions are about the evidence that ED-initiated buprenorphine with referral to community-based practices/programs improves treatment engagement among patients with an opioid use disorder. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree).

BUPRENORPHINE FOR AN OPIOID USE DISORDER

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
1. In my opinion, ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/programs will improve treatment engagement among patients with an opioid use disorder.	(ORMYIMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
2. Respected clinical experts in my institution feel that ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program will improve treatment engagement among patients with an opioid use disorder.	(OREXPOUT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. Changes to improve and systematize ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. are supported by randomized controlled trials (RCTs) or other scientific evidence from my practice/program.	(ORRCTPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. are supported by randomized controlled trials (RCTs) or other scientific evidence from other health care systems.	(ORRCTHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. should be effective, based on current scientific knowledge.	(OREFFECT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. is supported by clinical experience with my practice's/program's patients.	(OC2LEPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is supported by clinical experiences with patients in other health care systems.	(OC2LEHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. conforms to the opinions of clinical experts in this setting.	(OREXPRT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. ED-initiated buprenorphine with referral for ongoing MAT to my community-based practice/program to promote treatment engagement among patients with an opioid use disorder:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. has been well-accepted by my practice's/program's patients in a pilot study.	(ORACCEPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is consistent with clinical practices that have been accepted by my practice's/program's patients.	(ORPRACT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. take into consideration the needs and preferences of my practice's/program's patients.	(ORNEEDPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. appear to have more advantages than disadvantages for my practice's/program's patients.	(ORMADVGTG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

II. CONTEXT ASSESSMENT

The following set of questions are about your experience in your community-based practice/treatment program. For each of the following statements, please indicate how frequently you have observed the following sets of behaviors, from 1 (very infrequently) to 5 (very frequently).

1. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

2.

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. reward clinical innovation and creativity to improve patient care.	(ORLREWRD) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. solicit opinions of clinical staff regarding decisions about patient care.	(ORLOPIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. seek ways to improve patient education and increase patient participation in treatment.	(ORLEDU) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. How frequently have you observed staff members in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. have a sense of personal responsibility for improving patient care and outcomes.	(ORSRESPN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. cooperate to maintain and improve effectiveness of patient care.	(ORSFCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. be willing to innovate and/or experiment to improve clinical procedures.	(ORSINVTE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. be receptive to change in clinical processes.	(ORSCHANG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. provide effective management for continuous improvement of patient care.	(ORLMANAG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. clearly define areas of responsibility and authority for clinical managers and staff.	(ORLRESP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. promote team building to solve clinical care problems.	(ORLTEAM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. promote communication among clinical services and units.	(ORLCOMM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your practice/program:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
--	-----------------------	------------------	----------------------------	----------------	---------------------	------------	----------------

			Infrequently (3)				
a. provide staff with information on your practice's/program's performance measures and guidelines.	(ORLPERFM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. establish clear goals for patient care processes and outcomes.	(ORLGOAL) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. provide staff members with feedback/data on effects of clinical decisions.	(ORLFEEDB) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. hold staff members accountable for achieving results.	(ORLACCNT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6. How frequently have you observed opinion leaders in your practice/program:

		Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. express belief that the current practice patterns can be improved.	(ORIMPROV) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. encourage and support changes in practice patterns to improve patient care.	(OC2HANGE) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. demonstrate willingness to try new clinical protocols.	(ORTRYNEW) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. work cooperatively with senior leadership/clinical management (e.g., medical director) to make appropriate changes.	(ORWCOOP) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. In general in your practice/program, when there is agreement that change needs to happen, how frequently have you or your colleagues:

		Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. had the necessary support in terms of budget or financial resources.	(ORSBUDGT) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. had the necessary support in terms of training.	(ORSTRAIN) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. had the necessary support in terms of facilities.	(ORSFACTY) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. had the necessary support in terms of staffing.	(ORSSTAFF) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

III. FACILITATION ASSESSMENT

The following set of questions relate to a recent program (Project ED Health) in your local ED to promote ED-initiated buprenorphine with referral for ongoing MAT to community-based practices/programs, including your practice/program, to promote treatment engagement among patients with an opioid use disorder. This is referred to as "intervention" below. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree):

1. For this project, senior leadership/clinical management (e.g., medical director) have:

		Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. proposed a project that is appropriate and feasible.	(ORFESBLE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. provided clear goals for improvement in patient care.	(ORGOALIM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. established a project schedule and deliverables.	(ORSCHED) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. designated a clinical champion for the project.	(OC2HAMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. The project clinical champion:

		Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. accepts responsibility for the success of this project.	(OC2HRESP) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. has the authority to carry out the implementation.	(OC2HAUTH) <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	<input type="checkbox"/>							
c. is considered a clinical opinion leader.	<i>(OC2HLEAD)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>							
d. works well with the intervention team and providers (i.e., providers prescribing buprenorphine and team implementing referrals for ongoing MAT to your practice/program).	<i>(OC2HTEAM)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>							

3. Senior leadership/clinical management/staff opinion leaders:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. agree on the goals for this intervention.	<i>(ORLDGOAL)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. will be informed and involved in the intervention.	<i>(ORLDINVL)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. agree on adequate resources to accomplish the intervention.	<i>(ORLDRESO)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. set a high priority on the success of the intervention.	<i>(ORLDSUCC)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. The implementation team members:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. share responsibility for the success of this project.	<i>(ORITRESP)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. have clearly defined roles and responsibilities.	<i>(ORITROLE)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. have release time or can accomplish intervention tasks within their regular work load.	<i>(ORITWORK)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. have staff support and other resources required for the project.	<i>(ORITRESO)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. The implementation plan for this intervention:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. identifies specific roles and responsibilities.	<i>(ORIMROLE)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. clearly describes tasks and timelines.	<i>(ORIMTASK)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. includes appropriate provider/patient education.	<i>(ORIMEDUC)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. acknowledges staff input and opinions.	<i>(ORIMOPIN)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6. Communication will be maintained through:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. regular project meetings with the project champion and team members.	<i>(OC2MMEET)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. involvement of quality management staff in project planning and implementation.	<i>(OC2MMGMT)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. regular feedback to clinical management on progress of project activities and resource needs.	<i>(OC2MPROG)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. regular feedback to clinicians on effects of practice changes on patient care/outcomes.	<i>(OC2MEFFC)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. Progress of the project will be measured by:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
--	--------------------------	-----------------	--------------------------------------	--------------	-----------------------	------------	----------------

- a. collecting feedback from patients regarding proposed/implemented changes. (ORPRPATN)
- b. collecting feedback from staff regarding proposed/implemented changes. (ORPRSTAF)
- c. developing and distributing regular performance measures to clinical staff. (ORPRPERF)
- d. providing a forum for presentation/discussion of results and implications for continued improvements. (ORPRPRES)

8. The following are available to make the selected plan work:

- | | Strongly Disagree (1) | Disagree (2) | Neither Agree nor Disagree (3) | Agree (4) | Strongly Agree (5) | Don't Know | Not Applicable |
|---|--------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. staff incentives. (ORAVINCE) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. equipment and materials. (ORAVEQIP) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. patient awareness/need. (ORAVAWAR) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. provider buy-in. (ORAVBUY) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| e. intervention team (i.e., providers prescribing buprenorphine and team implementing referrals for ongoing MAT to your practice/program). (ORAVTEAM) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| f. evaluation protocol. (ORAVEVAL) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

9. Plans for evaluation and improvement of this intervention include:

- | | Strongly Disagree (1) | Disagree (2) | Neither Agree nor Disagree (3) | Agree (4) | Strongly Agree (5) | Don't Know | Not Applicable |
|--|--------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. periodic outcome measurement. (OREVMEAS) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. staff participation/satisfaction survey. (OREVSTSV) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. patient satisfaction survey. (OREVPTSV) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. dissemination plan for performance measures. (OREVDISS) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| e. review of results by clinical leadership. (OREVREVR) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments:(OC2COMM)

If you enter comments, select the blue save icon below to save your responses before logging out.

Thank you for taking the time to complete this survey! Please logout prior to closing your browser.

NIDA Clinical Trials Network

Organizational Readiness to Change Assessment (ORCA) ED (OE1)

Web Version: 1.0; 1.01; 03-14-18

Segment (PROTSEG): B
 Visit number (VISNO):

We need your help assessing your and your colleagues' readiness to implement ED-initiated buprenorphine with referral for ongoing medication assisted treatment (MAT) for an opioid use disorder in your Emergency Department (ED). By an opioid use disorder we mean patients with uncontrolled use (addiction) of illicit (e.g., heroin) or prescription opioids. By MAT, we mean use of medications for the treatment of an opioid use disorder. (i.e., buprenorphine, methadone, naltrexone). By treatment engagement, we mean that the patient is receiving treatment for their opioid use disorder with MAT. In the Evidence section below, we ask you to provide your opinions regarding buprenorphine. In the Context section that follows, we ask some questions about features of your ED. Please consider each question carefully and select the answer that best reflects your opinion.

I. EVIDENCE ASSESSMENT

The following set of questions are about the evidence that ED-initiated buprenorphine with referral to community-based practices/programs improves treatment engagement among patients with an opioid use disorder. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree).

BUPRENORPHINE FOR AN OPIOID USE DISORDER

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
1. In my opinion, ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practice/programs will improve treatment engagement among patients with an opioid use disorder.	(ORMYIMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
2. Respected clinical experts in my institution feel that ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practice/program will improve treatment engagement among patients with an opioid use disorder.	(OREXPOUT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
3. Changes to improve and systematize ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
a. are supported by randomized controlled trials (RCTs) or other scientific evidence from my ED.	(ORRCTPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. are supported by randomized controlled trials (RCTs) or other scientific evidence from other health care systems.	(ORRCTHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. should be effective, based on current scientific knowledge.	(OREFFECT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
4. ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
a. is supported by clinical experience with my ED's patients.	(ORCLEPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is supported by clinical experiences with patients in other health care systems.	(ORCLEHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. conforms to the opinions of clinical experts in this setting.	(OREXPERT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practice/program to promote treatment engagement among patients with an opioid use disorder:							
--	--	--	--	--	--	--	--

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. has been well-accepted by my ED's patients in a pilot study.	(ORACCEPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is consistent with clinical practices that have been accepted by my ED's patients.	(ORPRACT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. take into consideration the needs and preferences of my ED's patients.	(ORNEEDPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. appear to have more advantages than disadvantages for my ED's patients.	(ORMADVTG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

II. CONTEXT ASSESSMENT

The following set of questions are about your experience in your ED (project ED Health). For each of the following statements, please indicate how frequently you have observed the following sets of behaviors, from 1 (very infrequently) to 5 (very frequently).

1. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

2.

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. reward clinical innovation and creativity to improve patient care.	(ORLREWRD) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. solicit opinions of clinical staff regarding decisions about patient care.	(ORLOPIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. seek ways to improve patient education and increase patient participation in treatment.	(ORLEDU) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. How frequently have you observed staff members in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. have a sense of personal responsibility for improving patient care and outcomes.	(ORSRESPN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. cooperate to maintain and improve effectiveness of patient care.	(ORSFCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. be willing to innovate and/or experiment to improve clinical procedures.	(ORSINVTE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. be receptive to change in clinical processes.	(ORSCHANG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. provide effective management for continuous improvement of patient care.	(ORLMANAG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. clearly define areas of responsibility and authority for clinical managers and staff.	(ORLRESP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. promote team building to solve clinical care problems.	(ORLTEAM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. promote communication among clinical services and units.	(ORLCOMM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. provide staff with information on your ED's performance measures and guidelines.	(ORLPERFM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- | | | | | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| b. establish clear goals for patient care processes and outcomes. | (ORLGOAL) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | |
| c. provide staff members with feedback/data on effects of clinical decisions. | (ORLFEEDB) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | |
| d. hold staff members accountable for achieving results. | (ORLACCNT) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | |

6. How frequently have you observed opinion leaders in your ED:

- | | | Very Infrequently (1) | Infrequently (2) | Neither Frequently nor Infrequently (3) | Frequently (4) | Very Frequently (5) | Don't Know | Not Applicable |
|--|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|
| a. express belief that the current practice patterns can be improved. | (ORIMPROV) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| b. encourage and support changes in practice patterns to improve patient care. | (ORCHANGE) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| c. demonstrate willingness to try new clinical protocols. | (ORTRYNEW) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| d. work cooperatively with senior leadership/clinical management (e.g., medical director) to make appropriate changes. | (ORWCOOP) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |

7. In general in your ED, when there is agreement that change needs to happen, how frequently have you or your colleagues:

- | | | Very Infrequently (1) | Infrequently (2) | Neither Frequently nor Infrequently (3) | Frequently (4) | Very Frequently (5) | Don't Know | Not Applicable |
|---|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|
| a. had the necessary support in terms of budget or financial resources. | (ORSBUDGT) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| b. had the necessary support in terms of training. | (ORSTRAIN) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| c. had the necessary support in terms of facilities. | (ORSFACTY) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |
| d. had the necessary support in terms of staffing. | (ORSSTAFF) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | <input type="checkbox"/> | | | | | | | |

Comments:(OE1COMM)

If you enter comments, select the blue save icon below to save your responses before logging out.

Thank you for taking the time to complete this survey! Please logout prior to closing your browser.

NIDA Clinical Trials Network

Organizational Readiness to Change Assessment (ORCA+) ED (OE2)

Web Version: 1.0; 1.00; 02-09-18

Segment (PROTSEG): B

Visit number (VISNO):

We need your help assessing your and your colleagues' readiness to implement ED-initiated buprenorphine with referral for ongoing medication assisted treatment (MAT) for opioid use disorder in your Emergency Department (ED). By an opioid use disorder we mean patients with uncontrolled use (addiction) of illicit (e.g., heroin) or prescription opioids. By MAT, we mean use of medications for the treatment of an opioid use disorder (i.e., buprenorphine, methadone, naltrexone). By treatment engagement, we mean that the patient is receiving treatment for their opioid use disorder with MAT. In the Evidence section below, we ask you to provide your opinions regarding MAT for patients with an opioid use disorder. In the Context section that follows, we ask some questions about features of your community-based practice/treatment program. Lastly, we ask you about your opinions regarding the new program to promote ED-initiated buprenorphine in your ED with referral for ongoing MAT to community-based practices/programs. Please consider each question carefully and select the answer that best reflects your opinion.

I. EVIDENCE ASSESSMENT

The following set of questions are about the evidence that ED-initiated buprenorphine with referral to community-based practices/programs improves treatment engagement among patients with an opioid use disorder. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree).

BUPRENORPHINE FOR AN OPIOID USE DISORDER

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
1. In my opinion, ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practices/programs will improve treatment engagement among patients with an opioid use disorder.	(ORMYIMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Respected clinical experts in my institution feel that ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practices/programs will improve treatment engagement among patients with an opioid use disorder.	(OREXPOUT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Changes to improve and systematize ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practices/programs to promote treatment engagement among patients with an opioid use disorder:							
a. are supported by randomized controlled trials (RCTs) or other scientific evidence from my ED.	(ORRCTPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. are supported by randomized controlled trials (RCTs) or other scientific evidence from other health care systems.	(ORRCTHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. should be effective, based on current scientific knowledge.	(OREFFECT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practices/programs to promote treatment engagement among patients with an opioid use disorder:							
a. is supported by clinical experience with my ED's patients.	(OE2LEPRA) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is supported by clinical experiences with patients in other health care systems.	(OE2LEHCS) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. conforms to the opinions of clinical experts in this setting.	(OREXPRT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. ED-initiated buprenorphine in my ED with referral for ongoing MAT to community-based practices/programs to promote treatment engagement among patients with an opioid use disorder:

	Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. has been well-accepted by my ED's patients in a pilot study.	(ORACCEPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. is consistent with clinical practices that have been accepted by my ED's patients.	(ORPRACT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. take into consideration the needs and preferences of my ED's patients.	(ORNEEDPT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. appear to have more advantages than disadvantages for my ED's patients.	(ORMADVTG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

II. CONTEXT ASSESSMENT

The following set of questions are about your experience in your ED. For each of the following statements, please indicate how frequently you have observed the following sets of behaviors, from 1 (very infrequently) to 5 (very frequently).

1. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

2.

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. reward clinical innovation and creativity to improve patient care.	(ORLREWRD) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. solicit opinions of clinical staff regarding decisions about patient care.	(ORLOPIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. seek ways to improve patient education and increase patient participation in treatment.	(ORLEDU) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. How frequently have you observed staff members in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. have a sense of personal responsibility for improving patient care and outcomes.	(ORSRESPN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. cooperate to maintain and improve effectiveness of patient care.	(ORSFCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. be willing to innovate and/or experiment to improve clinical procedures.	(ORSINVTE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. be receptive to change in clinical processes.	(ORSCHANG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. provide effective management for continuous improvement of patient care.	(ORLMANAG) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. clearly define areas of responsibility and authority for clinical managers and staff.	(ORLRESP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. promote team building to solve clinical care problems.	(ORLTEAM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. promote communication among clinical services and units.	(ORLCOMM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. How frequently have you observed senior leadership/clinical management (e.g., medical director) in your ED:

	Very Infrequently (1)	Infrequently (2)	Neither Frequently nor	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
--	--------------------------	---------------------	---------------------------	-------------------	------------------------	------------	----------------

			Infrequently (3)					
a. provide staff with information on your ED's performance measures and guidelines.	(ORLPERFM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. establish clear goals for patient care processes and outcomes.	(ORLGOAL) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. provide staff members with feedback/data on effects of clinical decisions.	(ORLFEEDB) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. hold staff members accountable for achieving results.	(ORLACCNT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6. How frequently have you observed opinion leaders in your ED:

		Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. express belief that the current practice patterns can be improved.	(ORIMPROV) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. encourage and support changes in practice patterns to improve patient care.	(OE2HANGE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. demonstrate willingness to try new clinical protocols.	(ORTRYNEW) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. work cooperatively with senior leadership/clinical management (e.g., medical director) to make appropriate changes.	(ORWCOOP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. In general in your ED, when there is agreement that change needs to happen, how frequently have you or your colleagues:

		Very Infrequently (1)	Infrequently (2)	Neither Frequently nor Infrequently (3)	Frequently (4)	Very Frequently (5)	Don't Know	Not Applicable
a. had the necessary support in terms of budget or financial resources.	(ORSBUDGT) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. had the necessary support in terms of training.	(ORSTRAIN) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. had the necessary support in terms of facilities.	(ORSFACTY) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. had the necessary support in terms of staffing.	(ORSSTAFF) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

III. FACILITATION ASSESSMENT

The following set of questions relate to a recent program (Project ED Health) in your ED to promote ED-initiated buprenorphine with referral for ongoing MAT to community-based practices/programs, to promote treatment engagement among patients with an opioid use disorder. This is referred to as "intervention" below. For each of the following statements, please rate the strength of your agreement with the statement from 1 (strongly disagree) to 5 (strongly agree):

1. For this project, senior leadership/clinical management (e.g., medical director) have:

		Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. proposed a project that is appropriate and feasible.	(ORFESBLE) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. provided clear goals for improvement in patient care.	(ORGOALIM) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. established a project schedule and deliverables.	(ORSCHED) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. designated a clinical champion for the project.	(OE2HAMP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. The project clinical champion:

		Strongly Disagree (1)	Disagree (2)	Neither Agree nor Disagree (3)	Agree (4)	Strongly Agree (5)	Don't Know	Not Applicable
a. accepts responsibility for the success of this project.	(OE2HRESP) <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- b. has the authority to carry out the implementation. (OE2HAUTH)
- c. is considered a clinical opinion leader. (OE2HLEAD)
- d. works well with the intervention team and providers (i.e., providers prescribing buprenorphine and team implementing referrals for ongoing MAT in your ED). (OE2HTEAM)

3. Senior leadership/clinical management/staff opinion leaders:

- | | Strongly Disagree
(1) | Disagree
(2) | Neither Agree
nor Disagree
(3) | Agree
(4) | Strongly Agree
(5) | Don't Know | Not Applicable |
|--|--------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. agree on the goals for this intervention. (ORLDGOAL) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. will be informed and involved in the intervention. (ORLDINVL) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. agree on adequate resources to accomplish the intervention. (ORLDRESO) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. set a high priority on the success of the intervention. (ORLDSUCC) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

4. The implementation team members:

- | | Strongly Disagree
(1) | Disagree
(2) | Neither Agree
nor Disagree
(3) | Agree
(4) | Strongly Agree
(5) | Don't Know | Not Applicable |
|---|--------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. share responsibility for the success of this project. (ORITRESP) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. have clearly defined roles and responsibilities. (ORITROLE) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. have release time or can accomplish intervention tasks within their regular work load. (ORITWORK) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. have staff support and other resources required for the project. (ORITRESO) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

5. The implementation plan for this intervention:

- | | Strongly Disagree
(1) | Disagree
(2) | Neither Agree
nor Disagree
(3) | Agree
(4) | Strongly Agree
(5) | Don't Know | Not Applicable |
|---|--------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. identifies specific roles and responsibilities. (ORIMROLE) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. clearly describes tasks and timelines. (ORIMTASK) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. includes appropriate provider/patient education. (ORIMEDUC) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. acknowledges staff input and opinions. (ORIMOPIN) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

6. Communication will be maintained through:

- | | Strongly Disagree
(1) | Disagree
(2) | Neither Agree
nor Disagree
(3) | Agree
(4) | Strongly Agree
(5) | Don't Know | Not Applicable |
|--|--------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. regular project meetings with the project champion and team members. (OE2MMEET) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. involvement of quality management staff in project planning and implementation. (OE2MMGMT) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. regular feedback to clinical management on progress of project activities and resource needs. (OE2MPROG) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. regular feedback to clinicians on effects of practice changes on patient care/outcomes. (OE2MEFFC) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

7. Progress of the project will be measured by:

- | | Strongly Disagree
(1) | Disagree
(2) | Neither Agree
nor Disagree
(3) | Agree
(4) | Strongly Agree
(5) | Don't Know | Not Applicable |
|--|--------------------------|-----------------|--------------------------------------|--------------|-----------------------|------------|----------------|
|--|--------------------------|-----------------|--------------------------------------|--------------|-----------------------|------------|----------------|

- a. collecting feedback from patients regarding proposed/implemented changes. (ORPRPATN)
- b. collecting feedback from staff regarding proposed/implemented changes. (ORPRSTAF)
- c. developing and distributing regular performance measures to clinical staff. (ORPRPERF)
- d. providing a forum for presentation/discussion of results and implications for continued improvements. (ORPRPRES)

8. The following are available to make the selected plan work:

- | | Strongly Disagree (1) | Disagree (2) | Neither Agree nor Disagree (3) | Agree (4) | Strongly Agree (5) | Don't Know | Not Applicable |
|---|--------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. staff incentives. (ORAVINCE) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. equipment and materials. (ORAVEQIP) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. patient awareness/need. (ORAVAWAR) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. provider buy-in. (ORAVBUY) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| e. intervention team (i.e., providers prescribing buprenorphine and team implementing referrals for ongoing MAT in your ED). (ORAVTEAM) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| f. evaluation protocol. (ORAVEVAL) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

9. Plans for evaluation and improvement of this intervention include:

- | | Strongly Disagree (1) | Disagree (2) | Neither Agree nor Disagree (3) | Agree (4) | Strongly Agree (5) | Don't Know | Not Applicable |
|--|--------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. periodic outcome measurement. (OREVMEAS) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. staff participation/satisfaction survey. (OREVSTSV) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c. patient satisfaction survey. (OREVPTSV) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d. dissemination plan for performance measures. (OREVDISS) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| e. review of results by clinical leadership. (OREVREVR) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Comments:(OE2COMM)

If you enter comments, select the blue save icon below to save your responses before logging out.

Thank you for taking the time to complete this survey! Please logout prior to closing your browser.

NIDA Clinical Trials Network

Readiness Ruler (RRL)

Web Version: 1.0; 1.02; 05-11-18

Segment (PROTSEG): B

Visit number (VISNO):

On a scale from 0 to 10, how prepared are you to provide ED-initiated buprenorphine with referral for ongoing medication assisted treatment (MAT) for the treatment of opioid use disorder, where 0 equals "not prepared at all" and 10 equals "totally prepared?" (*knowledge and ability*)

On a scale from 0 to 10, how prepared is your ED to provide ED-initiated buprenorphine with referral for ongoing medication assisted treatment (MAT) for the treatment of opioid use disorder, where 0 equals "not prepared at all" and 10 equals "totally prepared?" (*knowledge and ability*)

On a scale from 0 to 10, how prepared are you to continue medication assisted treatment (MAT) for patients with an opioid use disorder who have received ED-initiated buprenorphine, where 0 equals "not prepared at all" and 10 equals "totally prepared?" (*knowledge and ability*)

(RRPREP)

(xx.xx)

On a scale from 0 to 10, how ready are you to provide ED-initiated buprenorphine with referral for ongoing MAT for the treatment of opioid use disorder, where 0 equals "not ready at all" and 10 equals "totally ready?" (*willing to provide*)

On a scale from 0 to 10, how ready is your ED to provide ED-initiated buprenorphine with referral for ongoing MAT for the treatment of opioid use disorder, where 0 equals "not ready at all" and 10 equals "totally ready?" (*willing to provide*)

On a scale from 0 to 10, how ready are you to continue MAT for patients with an opioid use disorder who have received ED-initiated buprenorphine, where 0 equals "not ready at all" and 10 equals "totally ready?" (*willing to provide*)

(RRREADY)

(xx.xx)

NIDA Clinical Trials Network

Site Characteristics - ED (SC1)

Web Version: 1.0; 1.01; 08-08-18

Segment (PROTSEG): B

Visit number (VISNO):

It is recommended that you complete the paper version of this form before proceeding. After completing on paper, enter your survey responses for the questions below using a computer or iPad. If you have not received this form, please email your site Principal Investigator.

Date survey completed:(SC1ASMDT)

Hospital Information

- 1. What is your hospital's bed capacity?(SCBEDCAP) beds
- 2. What is the population size of your catchment area?(SCPOPSIZ) people

ED Information

3. For each of the following, indicate how many providers and staff currently work in your ED on a regular basis: (exclude moonlighters or casual per diem)(enter 0 if none)

		Total Number
a. Attending physicians	(SCATPHYS)	<input type="text"/>
Emergency Medicine (EM)	(SCEDMED)	<input type="text"/>
Psychiatry	(SCPSCTRY)	<input type="text"/>
Other	(SCOTATPH)	<input type="text"/> (xxxxx)
If "Other", specify:	(SCOTPHSP)	<input style="width: 100%;" type="text"/>
b. Resident physicians	(SCRSPHYS)	<input type="text"/>
Emergency Medicine (EM)	(SCRESEM)	<input type="text"/>
Rotating specialty physician	(SCRTPHYS)	<input type="text"/>
c. Emergency Medicine (EM) fellows	(SCFELLOW)	<input type="text"/>
d. Nurse practitioners	(SCNURSPR)	<input type="text"/>
e. Physician assistants	(SCPHYSAT)	<input type="text"/>
f. Social workers	(SCSOWRK)	<input type="text"/>
g. Nurses	(SCNURSES)	<input type="text"/>
h. Medical assistants/technicians	(SCMATECH)	<input type="text"/>
i. Clinical pharmacists	(SCCLPHRM)	<input type="text"/>
j. Substance use counselors/health promotion advocates (on-site hospital employee)	(SCSCOUNS)	<input type="text"/>
k. Recovery coaches/peer consults (not on-site hospital employee)	(SCRCOACH)	<input type="text"/>
l. Other	(SCOTPROV)	<input type="text"/> (xxxxx)
If "Other", specify:	(SCOTPRSP)	<input style="width: 100%;" type="text"/>

4. What is the annual census of your ED?(SCEDCENS) people

- 5. Indicate the percentage of patients in your ED of each gender: (sum=100%)
 - a. Male(SCMALE) %
 - b. Female(SCFEMALE) %

6. Indicate the percentage of patients in your ED of each race: (*sum=100%*)
- a. White(*SCWHITE*) %
 - b. Black or African American(*SCBLACK*) %
 - c. Asian(*SCASIAN*) %
 - d. Native Hawaiian or Other Pacific Islander(*SCPACISL*) %
 - e. American Indian or Alaska Native(*SCAMEIND*) %
 - f. Prefer not to answer(*SCRFRACE*) %
7. Estimate the percentage of patients in your ED of each ethnicity: (*sum=100%*)
- a. Hispanic or Latino(*SCHISPNC*) %
 - b. Not Hispanic or Latino(*SCNOHSPC*) %
8. Estimate the percentage of patients in your ED who are **non-English** speaking: (*sum=100%*)
- a. Spanish-speaking only(*SCSPKSPN*) %
 - b. Only speak a language that is not English or Spanish(*SCNOENSP*) %
9. Indicate the patient payer mix: (*sum=100%*)
- a. Self-pay(*SCSLFPAY*) %
 - b. Medicare: include Medicare managed care(*SCMDCARE*) %
 - c. Medicaid: include Medicaid managed care(*SCMDCAID*) %
 - d. Managed care/commercial: HMOs, PPOs, Blues, and other private insurance(*SCMNGCRE*) %
 - e. Other/workers comp: including other government, unknown(*SCOTINCR*) %
- If "Other", specify:(*SCOTICSP*)
10. Emergency Severity Index (ESI)/Triage Level (%) in the past 12 months: (*sum=100%*)
- a. Level 1(*SCESI1*) %
 - b. Level 2(*SCESI2*) %
 - c. Level 3(*SCESI3*) %
 - d. Level 4(*SCESI4*) %
 - e. Level 5(*SCESI5*) (xxx) %
11. Median length of stay for treated and released patients:(*SCSTAYHR*) hours (*SCSTAYMN*)/ minutes
12. What is the current number of providers in your ED who have a DEA waiver that allows them to prescribe buprenorphine (e.g., Suboxone) for the treatment of opioid use disorder?(*SCDEAWVR*) providers
- What is the number of providers who are currently prescribing buprenorphine (e.g., Suboxone) in your ED for the treatment of opioid use disorder? (*SCPRSBUP*) providers
13. What are the current treatment-related services provided **on-site** in your ED to address opioid use disorder (*select all that apply*):
- a. Substance abuse counseling/health education(*SCSBEDUC*) 0-No 1-Yes
 - b. Social work(*SCSCLWRK*) 0-No 1-Yes
 - c. Addiction specialist for consultation(*SCADCSP*) 0-No 1-Yes
 - d. Peer recovery(*SCPRRECV*) 0-No 1-Yes
 - e. Other(*SCOTOSTE*) 0-No 1-Yes
- If "Other", specify:(*SCOTSTSP*)
14. What are the current treatment-related services provided **off-site** (i.e., outside of your ED) to address opioid use disorder (*select all that apply*):
- a. Outpatient opioid treatment program(*SCOUTTRT*) 0-No 1-Yes
 - b. Office-based addiction treatment provider(*SCOBPRVD*) 0-No 1-Yes
 - c. Case management for substance use(*SCCSEMGM*) 0-No 1-Yes
 - d. Other(*SCOTFSTE*) 0-No 1-Yes
- If "Other", specify:(*SCOTFSP*)
15. Which best describes the process by which your patients get into treatment to address their opioid use disorder provided **off-site** (i.e., outside of your ED): (*select one*)
- a. They are given a list of potential sites by providers(*SCLSTSTE*) 0-No 1-Yes
 - b. They are given a list of potential sites and advice about programs by providers(*SCLSTPRV*) 0-No 1-Yes

- c. They are consistently given advice and a direct referral (specific appointment time and place for follow-up) by providers(SCADVICE) 0-No 1-Yes
- d. When a counselor or health educator is available, they are given advice and a direct referral (specific appointment time and place for follow-up)(SCEDURFR) 0-No 1-Yes
- e. There is no consistent process(SCNOPRC) 0-No 1-Yes
- f. Other(SCOTCMBO) 0-No 1-Yes

If "Other", specify(SCOTCSP)

16. How would you describe your ED's current approach to providing treatment for opioid use disorder: (select one)

- a. Each clinician in the ED provides treatment for opioid use disorder(SCPRVTRT) 0-No 1-Yes
- b. A small group of the current clinicians in the ED are appointed as the opioid use disorder treatment specialists (i.e., providers have received training on treatment for opioid use disorder and all patients with opioid use disorder are assigned to these specific providers)(SCGRFSPC) 0-No 1-Yes
- c. An opioid use disorder treatment specialist is brought into the ED to provide treatment for opioid use disorder as needed from elsewhere in the hospital (i.e., consultation)(SCOPISPC) 0-No 1-Yes
- d. No providers in the ED receive training or provide treatment for opioid use disorder on site; rather, patients are referred outside the practice(SCNOPROV) 0-No 1-Yes
- e. Other(SCOTAPR) 0-No 1-Yes

If "Other", specify:(SCOTASP)

17. Number of pharmacies relative to ED location:

^2 Hours of operation

Number within:	Number	Open	Close	Number that are accessible via public transportation
1 mile	(SCNMLE01) <input style="width: 50px;" type="text"/>	(SCHROP01) <input style="width: 50px;" type="text"/>	(SCHRCL01) <input style="width: 50px;" type="text"/>	(SCTRNS01) <input style="width: 50px;" type="text"/>
5 miles	(SCNMLE05) <input style="width: 50px;" type="text"/>	(SCHROP05) <input style="width: 50px;" type="text"/>	(SCHRCL05) <input style="width: 50px;" type="text"/>	(SCTRNS05) <input style="width: 50px;" type="text"/>
10 miles	(SCNMLE10) <input style="width: 50px;" type="text"/>	(SCHROP10) <input style="width: 50px;" type="text"/>	(SCHRCL10) <input style="width: 50px;" type="text"/>	(SCTRNS10) <input style="width: 50px;" type="text"/>

18. Prevalence of opioid use disorder and opioid-related overdose (poisoning) events (fatal and non-fatal), past 12 months: Complete **Table 1** (All Opioid Poisoning) and **Table 2** (Opioid Dependence and Abuse) located at the end of survey.

Table 1: All Opioid Poisoning

Provide the number of unique patients assigned the following ICD-10 codes in the past 12 months

ICD-10	ICD-10 Description	Number of Unique Patients
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter	(SCT40X1A) <input style="width: 50px;" type="text"/>
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	(SCT40X2A) <input style="width: 50px;" type="text"/>
T40.0X3A	Poisoning by opium, assault, initial encounter	(SCT40X3A) <input style="width: 50px;" type="text"/>
T40.0X4A	Poisoning by opium, undetermined, initial encounter	(SCT40X4A) <input style="width: 50px;" type="text"/>
T40.0X1D	Poisoning by opium, accidental (unintentional), subsequent encounter	(SCT40X1D) <input style="width: 50px;" type="text"/>
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	(SCT40X2D) <input style="width: 50px;" type="text"/>
T40.0X3D	Poisoning by opium, assault, subsequent encounter	(SCT40X3D) <input style="width: 50px;" type="text"/>
T40.0X4D	Poisoning by opium, undetermined, subsequent encounter	(SCT40X4D) <input style="width: 50px;" type="text"/>
T40.0X1S	Poisoning by opium, accidental (unintentional), sequela	(SCT40X1S) <input style="width: 50px;" type="text"/>
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	(SCT40X2S) <input style="width: 50px;" type="text"/>
T40.0X3S	Poisoning by opium, assault, sequela	(SCT40X3S) <input style="width: 50px;" type="text"/>
T40.0X4S	Poisoning by opium, undetermined, sequela	(SCT40X4S) <input style="width: 50px;" type="text"/>
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter	(SCT41X1A) <input style="width: 50px;" type="text"/>
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	(SCT41X2A) <input style="width: 50px;" type="text"/>
T40.1X3A	Poisoning by heroin, assault, initial encounter	(SCT41X3A) <input style="width: 50px;" type="text"/>

T40.1X4A	Poisoning by heroin, undetermined, initial encounter	(SCT41X4A)	<input type="text"/>
T40.1X1D	Poisoning by heroin, accidental (unintentional), subsequent encounter	(SCT41X1D)	<input type="text"/>
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	(SCT41X2D)	<input type="text"/>
T40.1X3D	Poisoning by heroin, assault, subsequent encounter	(SCT41X3D)	<input type="text"/>
T40.1X4D	Poisoning by heroin, undetermined, subsequent encounter	(SCT41X4D)	<input type="text"/>
T40.1X1S	Poisoning by heroin, accidental (unintentional), sequela	(SCT41X1S)	<input type="text"/>
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	(SCT41X2S)	<input type="text"/>
T40.1X3S	Poisoning by heroin, assault, sequela	(SCT41X3S)	<input type="text"/>
T40.1X4S	Poisoning by heroin, undetermined, sequela	(SCT41X4S)	<input type="text"/>
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter	(SCT42X1A)	<input type="text"/>
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	(SCT42X2A)	<input type="text"/>
T40.2X3A	Poisoning by other opioids, assault, initial encounter	(SCT42X3A)	<input type="text"/>
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter	(SCT42X4A)	<input type="text"/>
T40.2X1D	Poisoning by other opioids, accidental (unintentional), subsequent encounter	(SCT42X1D)	<input type="text"/>
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	(SCT42X2D)	<input type="text"/>
T40.2X3D	Poisoning by other opioids, assault, subsequent encounter	(SCT42X3D)	<input type="text"/>
T40.2X4D	Poisoning by other opioids, undetermined, subsequent encounter	(SCT42X4D)	<input type="text"/>
T40.2X1S	Poisoning by other opioids, accidental (unintentional), sequela	(SCT42X1S)	<input type="text"/>
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	(SCT42X2S)	<input type="text"/>
T40.2X3S	Poisoning by other opioids, assault, sequela	(SCT42X3S)	<input type="text"/>
T40.2X4S	Poisoning by other opioids, undetermined, sequela	(SCT42X4S)	<input type="text"/> (xxxxx)
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter	(SCT43X1A)	<input type="text"/>
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	(SCT43X2A)	<input type="text"/>
T40.3X3A	Poisoning by methadone, assault, initial encounter	(SCT43X3A)	<input type="text"/>
T40.3X4A	Poisoning by methadone, undetermined, initial encounter	(SCT43X4A)	<input type="text"/>
T40.3X1D	Poisoning by methadone, accidental (unintentional), subsequent encounter	(SCT43X1D)	<input type="text"/>
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	(SCT43X2D)	<input type="text"/>
T40.3X3D	Poisoning by methadone, assault, subsequent encounter	(SCT43X3D)	<input type="text"/>
T40.3X4D	Poisoning by methadone, undetermined, subsequent encounter	(SCT43X4D)	<input type="text"/>
T40.3X1S	Poisoning by methadone, accidental (unintentional), sequela	(SCT43X1S)	<input type="text"/>
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	(SCT43X2S)	<input type="text"/>
T40.3X3S	Poisoning by methadone, assault, sequela	(SCT43X3S)	<input type="text"/>
T40.3X4S	Poisoning by methadone, undetermined, sequela	(SCT43X4S)	<input type="text"/>
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter	(SCT44X1A)	<input type="text"/>
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	(SCT44X2A)	<input type="text"/>
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter		

		(SCT44X3A)	<input type="text"/>
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter	(SCT44X4A)	<input type="text"/>
T40.4X1D	Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter	(SCT44X1D)	<input type="text"/>
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	(SCT44X2D)	<input type="text"/>
T40.4X3D	Poisoning by other synthetic narcotics, assault, subsequent encounter	(SCT44X3D)	<input type="text"/>
T40.4X4D	Poisoning by other synthetic narcotics, undetermined, subsequent encounter	(SCT44X4D)	<input type="text"/>

Provide the number of unique patients assigned the following ICD-10 codes in the past 12 months

T40.4X1S	Poisoning by other synthetic narcotics, accidental (unintentional), sequela	(SCT44X1S)	<input type="text"/>
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	(SCT44X2S)	<input type="text"/>
T40.4X3S	Poisoning by other synthetic narcotics, assault, sequela	(SCT44X3S)	<input type="text"/>
T40.4X4S	Poisoning by other synthetic narcotics, undetermined, sequela	(SCT44X4S)	<input type="text"/>
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter	(SCT4601A)	<input type="text"/>
T40.602A	Poisoning by unspecified narcotics, intentional self-harm initial encounter	(SCT4602A)	<input type="text"/>
T40.603A	Poisoning by unspecified narcotics, assault initial encounter	(SCT4603A)	<input type="text"/>
T40.604A	Poisoning by unspecified narcotics, undetermined initial encounter	(SCT4604A)	<input type="text"/>
T40.601D	Poisoning by unspecified narcotics, accidental (unintentional), subsequent encounter	(SCT4601D)	<input type="text"/>
T40.602D	Poisoning by unspecified narcotics, intentional self-harm subsequent encounter	(SCT4602D)	<input type="text"/>
T40.603D	Poisoning by unspecified narcotics, assault subsequent encounter	(SCT4603D)	<input type="text"/>
T40.604D	Poisoning by unspecified narcotics, undetermined subsequent encounter	(SCT4604D)	<input type="text"/>
T40.601S	Poisoning by unspecified narcotics, accidental (unintentional), sequela	(SCT4601S)	<input type="text"/>
T40.602S	Poisoning by unspecified narcotics, intentional self-harm sequela	(SCT4602S)	<input type="text"/>
T40.603S	Poisoning by unspecified narcotics, assault sequela	(SCT4603S)	<input type="text"/> (xxxxx)
T40.604S	Poisoning by unspecified narcotics, undetermined sequela	(SCT4604S)	<input type="text"/>
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter	(SCT4691A)	<input type="text"/>
T40.692A	Poisoning by other narcotics, intentional self-harm initial encounter	(SCT4692A)	<input type="text"/>
T40.693A	Poisoning by other narcotics, assault initial encounter	(SCT4693A)	<input type="text"/>
T40.694A	Poisoning by other narcotics, undetermined initial encounter	(SCT4694A)	<input type="text"/>
T40.691D	Poisoning by other narcotics, accidental (unintentional), subsequent encounter	(SCT4691D)	<input type="text"/>
T40.692D	Poisoning by other narcotics, intentional self-harm subsequent encounter	(SCT4692D)	<input type="text"/>
T40.693D	Poisoning by other narcotics, assault subsequent encounter	(SCT4693D)	<input type="text"/>
T40.694D	Poisoning by other narcotics, undetermined subsequent encounter	(SCT4694D)	<input type="text"/> (xxxxx)
T40.691S	Poisoning by other narcotics, accidental (unintentional), sequela	(SCT4691S)	<input type="text"/>
T40.692S	Poisoning by other narcotics, intentional self-harm sequela	(SCT4692S)	<input type="text"/>
T40.693S	Poisoning by other narcotics, assault sequela	(SCT4693S)	<input type="text"/>
T40.694S	Poisoning by other narcotics, undetermined sequela	(SCT4694S)	<input type="text"/>

Table 2: Opioid Dependence and Abuse

Provide the number of unique patients assigned the following ICD-10 codes in the past 12 months

ICD-10	ICD-10 Description	Number of Unique Patients
F11.20	Opioid dependence, uncomplicated	(SCF1120) <input type="text"/>
F11.21	Opioid dependence, in remission	(SCF1121) <input type="text"/>
F11.220	Opioid dependence with intoxication, uncomplicated	(SCF11220) <input type="text"/>
F11.221	Opioid dependence with intoxication, delirium	(SCF11221) <input type="text"/>
F11.222	Opioid dependence with intoxication with perceptual disturbance	(SCF11222) <input type="text"/>
F11.229	Opioid dependence with intoxication, unspecified	(SCF11229) <input type="text"/> (xxxxx)
F11.23	Opioid dependence with withdrawal	(SCF1123) <input type="text"/>
F11.24	Opioid dependence with opioid-induced mood disorder	(SCF1124) <input type="text"/>
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusion	(SCF11250) <input type="text"/>
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucination	(SCF11251) <input type="text"/>
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	(SCF11259) <input type="text"/>
F11.281	Opioid dependence with opioid-induced sexual dysfunction	(SCF11281) <input type="text"/>
F11.282	Opioid dependence with opioid-induced sleep disorder	(SCF11282) <input type="text"/>
F11.288	Opioid dependence with other opioid-induced disorder	(SCF11288) <input type="text"/>
F11.29	Opioid dependence with unspecified opioid-induced disorder	(SCF1129) <input type="text"/>
F11.10	Opioid abuse, uncomplicated	(SCF1110) <input type="text"/>
F11.120	Opioid abuse with intoxication, uncomplicated	(SCF11120) <input type="text"/>
F11.121	Opioid abuse with intoxication, delirium	(SCF11121) <input type="text"/>
F11.122	Opioid abuse with intoxication with perceptual disturbance	(SCF11122) <input type="text"/>
F11.129	Opioid abuse with intoxication, unspecified	(SCF11129) <input type="text"/>
F11.14	Opioid abuse with opioid-induced mood disorder	(SCF1114) <input type="text"/>
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	(SCF11150) <input type="text"/> (xxxxx)
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucination	(SCF11151) <input type="text"/>
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	(SCF11159) <input type="text"/>
F11.181	Opioid abuse with opioid-induced sexual dysfunction	(SCF11181) <input type="text"/>
F11.182	Opioid abuse with opioid-induced sleep disorder	(SCF11182) <input type="text"/>
F11.188	Opioid abuse with other opioid-induced disorder	(SCF11188) <input type="text"/>
F11.119	Opioid abuse with unspecified opioid-induced disorder	(SCF1119) <input type="text"/>

Comments:(SC1COMM)

NIDA Clinical Trials Network

Site Characteristics - OTP Page 1 (SC2)

Web Version: 1.0; 3.00; 08-30-18

Segment (PROTSEG): B
 Visit number (VISNO):

It is recommended that you complete the paper version of this form before proceeding. After completing on paper, enter your survey responses for the questions below using a computer or iPad. If you have not received this form, please email your site Principal Investigator.

We are evaluating the outcomes of patients with opioid use disorder who have received treatment in the Emergency Department. Since patients may receive care in your program we would like to know more about your setting. Your responses will be kept confidential and we will only share a summary of these findings with others so that we can try to improve the treatment of patients with opioid use disorder in the Emergency Department. Note, completing this form requires input from both clinical and administrative personnel.

We would like to start by asking about the characteristics of your program and your experiences in general with clients who have opioid use disorder.

Site facility name:(SC2FACPR)

Date survey completed:(SC2ASMDT)

PROVIDER INFORMATION (PERSON COMPLETING THIS SURVEY)

1. Which title below most accurately describes your current role at your program?(SCCRTRLE)

If "Other", specify:(SCROLESP)

GENERAL PROGRAM INFORMATION

2. For each of the following, indicate how many providers and staff currently work in your program on a regular basis: (exclude moonlighters or casual per diem)(enter 0 if none)

	Total Number
a. Board eligible or certified physicians	(SCCTPHYS) <input type="text"/>
Internal medicine	(SCINTMED) <input type="text"/>
Board-certified addiction medicine	(SCIMCERT) <input type="text"/>
Pediatrics	(SCPEDPHY) <input type="text"/>
Board-certified addiction medicine	(SCPDCERT) <input type="text"/>
Family medicine	(SCFAMMED) <input type="text"/>
Board-certified addiction medicine	(SCFMCERT) <input type="text"/>
Psychiatrists	(SCPSYCH) <input type="text"/>
Board-certified addiction psychiatrist	(SCPSCERT) <input type="text"/>
b. Resident physicians	(SCRSPPHYS) <input type="text"/>
c. Fellow physicians	(SCFELLOW) <input type="text"/>
d. Nurse practitioners	(SCNURSPR) <input type="text"/>
e. Physician assistants	(SCPHYSAT) <input type="text"/>
f. Social workers	(SCSOWRK) <input type="text"/>
g. Nurses	(SCNURSES) <input type="text"/>
h. Medical assistants	(SCMEDAST) <input type="text"/>
i. Clinical pharmacists	(SCCLPHRM) <input type="text"/> (xxxx)
j. Counselor/health educators	(SCCOUEDU) <input type="text"/> (xxxx)

k. Other (SCOTPPRV)

If "Other", specify: (SCOTPOSP)

3. What is the zip code for your program? (SCZIPCDE)

4. What is the total number of unique patients seen at your program, on average, in a given year? (SCUNQPTS) (xxxxx) patients

5. During your last normal week, approximately how many program encounters did you have at this program location? (SCVISENC) encounters

6. Indicate the percentage of clients in your program of each gender: (sum=100%)

a. Male(SCMALE) %

b. Female(SCFEMALE) (xxx) %

7. Indicate the percentage of clients in your program of each race: (sum=100%)

a. White(SCWHITE) %

b. Black or African American(SCBLACK) %

c. Asian(SCASIAN) %

d. Native Hawaiian or Other Pacific Islander(SCHAWAII) %

e. American Indian or Alaska Native(SCAMEIND) %

f. Prefer not to answer(SCRACERF) %

8. Estimate the percentage of clients treated in your program of each ethnicity: (sum=100%)

a. Hispanic or Latino(SCHISPNC) %

b. Not Hispanic or Latino(SCNOHSPC) %

9. Estimate the percentage of clients treated in your program who are **non-English** speaking: (sum=100%)

a. Spanish-speaking only(SCSPKSPN) %

b. Only speak a language that is not English or Spanish(SCNOENSP) %

10. Of clients in your current active program, of working age, what percentage would you estimate are unemployed? (enter 0 if none) (SCUNEMPL) %

11. Indicate the percentage of clients treated in your program with each of the following types of insurance: (sum=100%)

a. Medicare(SCMDCARE) %

b. Medicaid(SCMDCAID) %

c. Private(SCPRIVTE) %

d. Self-Pay(SCSLFPAY) %

e. Veteran Affairs(SCVTAFFR) %

f. Other(SCOTINSR) %

If "Other", specify:(SCOTINSP)

12. Is your program owned by:

a. Physician/physician group(SCOWNPHY) 0-No 1-Yes

b. Insurance company, health plan, or HMO(SCOWNINS) 0-No 1-Yes

c. Community health center(SCCOMCTR) 0-No 1-Yes

d. Medical/academic health center(SCOWNMED) 0-No 1-Yes

e. Other health care corporation(SCOTHCOW) 0-No 1-Yes

f. Other(SCOTOWN) 0-No 1-Yes

If "Other", specify:(SCOTOWSP)

13. Is your program operated by the federal government?(SCOPFGOV) 0-No 1-Yes

14. Is your program certified as a patient-centered medical home?(SCPATCTR) 0-No 1-Yes 97-Unknown

15. Which of the **following accreditations or licenses** does your program currently have:

- a. JCAHO (Joint Commission on Accreditation of Healthcare Organizations)(SCJCAHO)

0-No
 1-Yes
 97-Unknown
 98-Refused
- b. CARF (Commission on Accreditation of Rehabilitation Facilities)(SCCARF)

0-No
 1-Yes
 97-Unknown
 98-Refused
- c. NCQA (National Committee for Quality Assurance)(SCNCQA)

0-No
 1-Yes
 97-Unknown
 98-Refused

16. Roughly, what percentage of the client care revenue received by this practice comes from managed care contracts? (SCMNGREV) %

17. Roughly, what percentage of your client care revenue comes from each of the following methods of payment: (revenue sources should sum close to 100%)

- a. Fee-for-service(SCSRVFEE) %
- b. Capitation(SCCAPTN) %
- c. Case rates (e.g., package pricing/episode of care)(SCCSERTE) %
- d. Other(SCOTHREV) %

18. What percentage of total revenues did your program receive directly from the following sources:

- a. State block grants(SCBLKGRT) %
- b. Medicaid fee-for-service(SCMDFEE) %
- c. Medicaid managed care(SCMDCRE) %
- d. Medicare fee-for-service(SCMCRFEE) %
- e. Medicare managed care(SCMEDCRE) %
- f. From other public sources(SCPUBSRV) %
- g. Private or commercial fee-for-service insurance(SCPRFEIN) %
- h. Private or commercial managed care insurance(SCPRMCIN) %
- i. Patient/self-pay (not including co-pays)(SCPRSLFP) %
- j. Patient co-pay(SCPCOPAY) %
- k. Other sources not listed(SCOTSREV) %

If "Other", specify:(SCOTSRSP)

19. Does your program:

- a. Provide professional coverage for patient medical emergencies during hours when the program is closed. (SCCOVRGE) 0-No 1-Yes
- b. Provide access to case-management services for patients including referral and follow-up services for programs that provide, or financially support, the provision of services such as medical, behavioral, social, housing, employment, educational, or other related services.(SCCSEMSV) 0-No 1-Yes
- c. Use health technology (health IT) systems such as electronic health records, if otherwise required to use these systems in the program setting. Health IT means the electronic systems that health care professionals and patients use to store, share, and analyze health information. (SCHLTTEC) 0-No 1-Yes
- d. Accept third-party payment for costs in providing health services, including written billing, credit, and collection policies and procedures, or Federal health benefits.(SCTHRPYM) 0-No 1-Yes

20. Is your program registered for your state Prescription Drug Monitoring Program (PDMP) where operational and in accordance with Federal and State law? (SCPDMP) 0-No 1-Yes

21. To what extent does your program have staff members who work specifically on the prevention of HIV/AIDS?(SCHIVPRV)

22. During the last complete fiscal year how many clients in treatment in your OUTPATIENT program received HIV testing? (enter 0 if none) (SCHIVTST) patients

23. During the last complete fiscal year how many clients in treatment in your OUTPATIENT program received Hepatitis C testing? (enter 0 if none) (SCHPCTST) patients

24. Of the total number of clients at your program treated in the most recent complete fiscal year, what percentage: (enter 0 if none)

- a. Have a diagnosis of chronic Hepatitis C(SCCHPHPC) %
- b. Were taking Hepatitis C medications upon entry into treatment at your program(SCHPCMED) %
- c. Were diagnosed with HIV(SCDXHIV) %
- d. Were taking HIV medications upon entry into treatment at your program(SCHIVMED) %
- e. Were taking psychotropic medication upon entry into treatment at your program(SCPSYMED) %
- f. Were veterans(SCVETERN) %

GENERAL ADDICTION SERVICES INFORMATION

25. Indicate the percentage of clients treated in your program who use the following substances:

- a. Tobacco/nicotine(SCTOBACC) %
- b. Alcohol(SCALCOHL) %
- c. Cocaine or "crack"(SCCOCCRK) %
- d. Amphetamine, crystal meth, ice or ecstasy(SCAMPTHM) %
- e. Other stimulants (Ritalin, Adderall) (SCSTIMLT) %
- f. Heroin(SCHEROIN) %
- g. Prescription opioids(SCOPIOID) %
- h. Marijuana(SCMARIJU) %
- i. Benzodiazepines(SCBENZO) %
- j. Other(SCOTHSUB) %

If "Other", specify:(SCOTSBSP)

26. What was the percentage of clients at your program in the most recent complete fiscal year whose use of drugs involved **injection with needles**? (enter 0 if none)(SCINJNED) %

27. What are the current treatment services provided **on-site** in your program to address: (select all that apply)

	Medication	Counseling
Opioid Use Disorder (SCMEDOPI) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	(SCCNDOPI) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	
Alcohol Use Disorder (SCMEDALC) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	(SCCNALC) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	
Tobacco Use Disorder (SCMEDTOB) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	(SCCNSTOB) <input type="checkbox"/> 0-No <input type="checkbox"/> 1-Yes	

28. What are the levels of service (as designated by the American Society of Addiction Medicine) provided by your program: (select all that apply)

Level I: Outpatient treatment 0-No 1-Yes
 This level of care includes treatment that occurs in regularly scheduled

sessions usually totaling fewer than 9 contact hours per week.(SCSLVL01)

Level II: Intensive outpatient treatment (Intensive Outpatient and Partial Hospitalization) 0-No 1-Yes

This level of care includes treatment that occurs in regularly scheduled sessions totaling 9 to 19 hours of skilled treatment services per week. (SCSLVL02)

Level III: Residential/inpatient treatment 0-No 1-Yes

This level of care includes 24-hour observation, monitoring, and treatment. A multidisciplinary staff functions under medical supervision. (SCSLVL03)

Level IV: Medically managed intensive inpatient treatment 0-No 1-Yes

This level of care includes addiction professionals and clinicians who provide a planned regimen of 24-hour medically directed evaluation, care, and treatment in an acute care inpatient setting.(SCSLVL04)

29. Does your program offer supervised withdrawal (detox) treatment, either inpatient or outpatient?(SCSUPDTX)
 01-Inpatient only
 02-Outpatient only
 03-Both
 04-No

a. Does your program offer short-term inpatient treatment? (DEF: ASAM Level III.3, less than 30 days inpatient) (SCSHRTRT) 0-No 1-Yes

b. Does your program offer long-term residential treatment? (DEF: ASAM Level III.3 or III.5, 30 or more days inpatient)(SCLGRTRT) 0-No 1-Yes

30. Does your OUTPATIENT program offer partial hospitalization treatment? (DEF: ASAM Level II.5, at least 20 hours of skilled treatment services per week) (SCPHOSP) 0-No 1-Yes

31. Does your OUTPATIENT program offer intensive outpatient therapy? (DEF: ASAM Level II.1, 9 to 19 hours of skilled treatment services per week)(SCINOUT) 0-No 1-Yes

32. Does your OUTPATIENT program offer standard outpatient therapy? (DEF: ASAM Level I, less than 9 hours of skilled treatment services per week)(SCSTOUT) 0-No 1-Yes

33. Does your OUTPATIENT program offer opioid maintenance therapy (therapeutic use of specialized opioids, such as methadone, to occupy opiate receptors in the brain and establish a maintenance state)?(SCOPMTN) 0-No 1-Yes

34. Does your OUTPATIENT program offer outpatient aftercare services (less than 1 hour of skilled treatment services per week to clients stable in their recovery)? (SCAFTCRE) 0-No 1-Yes

35. To what extent is the Alcoholics Anonymous or Narcotics Anonymous 12-step model of treatment effective with patients who use substances? (SCAAEFFT)
 0-No extent
 1-A little extent
 2-Some extent
 3-A great extent
 4-A very great extent

36. What percentage of all paid staff members in outpatient and inpatient services have a prior history of addiction? (SCPRHIST) %

37. To what extent do the managers in your program support the effectiveness of abstinence approaches to recovery? (SCSABSTN)
 0-No extent
 1-A little extent
 2-Some extent
 3-A great extent
 4-A very great extent

OPIOID USE DISORDER CHARACTERISTICS

38. What is the average number of clients per month seen at your program who meet criteria for an opioid use disorder? (SCAVGMTH) patients
39. What percentage of your program's OUTPATIENT substance abuse clients currently receive opioid maintenance therapy? (enter 0 if none) (SCOPITRT) (xxx) %
40. Currently, how many people are waiting to receive treatment for opioid use disorder from your program? (enter 0 if none)(SCPLWAIT) (xxxx) people
- How many days, on average, do these people have to wait to begin treatment?(SCDYWAIT) days

41. In the last complete fiscal year, what percentage of your clients with opioid use disorder received a first treatment session within 14 days after their initial assessment?(SCFRSTRT) %

42. Which best describes the process by which your clients get into treatment at your program to address their opioid use disorder?(SCOPIPRC)

01-They are provided advice and information about community resources

02-They are provided a written referral to our program

03-An addiction appointment (intake or program slot) is set-up during a clinical visit

04-We have a client navigator or case manager who facilitates linkage to addiction treatment

99-Other

If "Other", specify:(SCOTPCSP)

43. What medication does your program provide for the treatment of opioid use disorder: (select all that apply)

Buprenorphine or buprenorphine/naloxone - sublingual film or tablets, buccal film (e.g., Suboxone, Bunavail, Zubsolv) (SCBUPFLM)	0-No	1-Yes
Buprenorphine implants (e.g., Probuphine)(SCBUPIMP)	0-No	1-Yes
Methadone(SCMDMTH)	0-No	1-Yes
Naltrexone - oral (e.g., Revia) (SCNALT XO)	0-No	1-Yes
Extended-release naltrexone - injectable (e.g., Vivitrol)(SCNALT XI)	0-No	1-Yes
Other(SCMEDOT)	0-No	1-Yes

If "Other", specify:(SCMDOTSP)

METHADONE PROGRAM CHARACTERISTICS

44. Does your OUTPATIENT program provide methadone treatment services? (SCMTHTRT) 0-No 1-Yes
- If "Yes", in the most recent complete fiscal year, what was the total number of clients in your outpatient program who were methadone clients? (enter 0 if none)(SCMTHCLT) clients
45. For how many clients is your program licensed to provide methadone? (SCLISMTH) clients
46. What is your program's client/counselor ratio?(SCP RATIO) (xxx:1)
47. What is the number of clients in your program who are receiving methadone? (SCRECMTH) clients

48. Thinking only about OUTPATIENT methadone clients who have received the same dose of methadone for at least two weeks, what percentage of these clients receive: (enter 0 if none) (sum=100%)
- a. under 40 milligrams of methadone(SCMTHL40) %
 - b. 40-59 milligrams of methadone(SCMTHL59) %
 - c. 60-99 milligrams of methadone(SCMTHL99) %
 - d. 100-149 milligrams of methadone(SCMTHL149) %
 - e. 150-199 milligrams of methadone(SCMTHL199) %
 - f. 200 or more milligrams of

methadone(SCMTM200)

%

49. To what extent does your program encourage OUTPATIENT clients to **detoxify from maintenance**? (SCMDTOX)

0-No extent
 1-A little extent
 2-Some extent
 3-A great extent
 4-A very great extent

How long after clients are admitted to your OUTPATIENT program are they typically encouraged to **detoxify from maintenance**?(SCMLGDTX)

01-Under 3 months
 02-3-6 months
 03-7-12 months
 04-13-18 months
 05-19-24 months
 *Additional Options Listed Below

50. Does your program allow **take-home dosages** of methadone?(SCMHOME)

0-No 1-Yes

What percentage of methadone clients use this option? (enter 0 if none)(SCMCHOME)

%

51. Is the use of methadone a covered benefit in the state's Medicaid plan? (SCMCOVER)

0-No
 1-Yes
 97-Unknown
 98-Refused

52. Does your program offer or refer your methadone clients for: (select all that apply)

a. Concurrent substance use counseling (individual or group)

Offered onsite(SCMOFCOU) 0-No 1-Yes

Referred off-site(SCMRFCOU) 0-No 1-Yes

b. Mental health/psychiatric care (as appropriate)

Offered onsite(SCMOFMHT) 0-No 1-Yes

Referred off-site(SCMRFMHT) 0-No 1-Yes

c. Urine drug testing

Offered onsite(SCMOFUDS) 0-No 1-Yes

Referred off-site(SCMRFUDS) 0-No 1-Yes

1. For what percentage of your current clients receiving methadone do you perform urine drug testing? (SCUDSMTH)

%

2. What is the typical number of urine drug tests per month per client?(SCUDSMTM)

tests

53. Among patients receiving methadone, which drug metabolites do you routinely test for?

- a. Alcohol (e.g. Ethyl glucuronide/ethyl sulfate) (SCMTHALC) 0-No 1-Yes
- b. Amphetamines (SCMTHAMP) 0-No 1-Yes
- c. Benzodiazepines 54. (SCMTHBNZ) 0-No 1-Yes
- a. Cocaine (SCMTHCOC) 0-No 1-Yes
- b. Marijuana/THC (SCMTHTHC) 0-No 1-Yes
- c. Opiates (SCMTHOPI) 0-No 1-Yes
- d. Oxycodone (SCMTHOXY) 0-No 1-Yes
- e. Methadone (SCMTHMTH) 0-No 1-Yes
- f. Buprenorphine (SCMTHBUP) 0-No 1-Yes
- g. Psychedelics (SCMTHPSY) 0-No 1-Yes

55. On average, how many consecutive weeks of positive urine tests will lead to discharge from your program? (SCMPSUDS)

(xx) consecutive weeks (SCMNODIS)OR

1- No discharge based on urine drug test results

Additional Selection Options for SC2

How long after clients are admitted to your OUTPATIENT program are they typically encouraged to detoxify from maintenance?

06-25 months or more

NIDA Clinical Trials Network

Site Characteristics - OTP Page 2 (SC3)

Web Version: 1.0; 1.01; 05-10-18

Segment (PROTSEG): B
 Visit number (VISNO):

BUPRENORPHINE PROGRAM CHARACTERISTICS

1. For how many clients is your program allowed to provide buprenorphine?
 (SCPATBUP) (xxxxx) clients
2. What is the current number of providers in your program who have a DEA waiver that allows them to prescribe buprenorphine (e.g. Suboxone) for the treatment of opioid use disorder?(SCDEAWVR) providers
3. What is the number of providers who are currently prescribing buprenorphine (e.g., Suboxone) in your practice for the treatment of opioid use disorder?(SCBPRSCB) providers
4. What percentage of clients receiving buprenorphine were prescribed/received:
 - a. Generic form of buprenorphine(SCBUPGEN) %
 - b. Rapid-dissolve form (i.e., film)(SCBUPDSL) %
 - c. Implanted buprenorphine(SCIMPBUP) %
5. What is the number of prescribers currently prescribing buprenorphine at your program?(SCBNPSCR) (xxxxx) prescribers
 - a. What number of prescribers are onsite?(SCPRONST) prescribers
 - b. What number of prescribers are off-site?(SCPROFST) (xxxxx) prescribers
6. What was the date that this program first started to utilize buprenorphine?
 (SCBUSEDT)

7. About how many clients has your program ever treated with buprenorphine for opioid addiction under the Waiver Program:

	All or almost all	Most	About half	A few	None	I don't know	Not applicable
a. Were already in your program (SCBALRDY)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Sought you out on their own initiative because you could provide buprenorphine treatment (SCBSOUGH)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

8. On average, about how many times does the client make an office visit:

	Approximate # visits/week	Additional contact made by phone or email	Approximate # visits/month	Additional contact made by phone or email
a. During buprenorphine induction (SCBIVSWK)	<input type="text"/>	(SCBNOIVS) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable	<input type="text"/>	<input type="text"/>
b. While undergoing medically supervised withdrawal (detoxification) from opioids using buprenorphine (SCBMSVW)	<input type="text"/>	(SCBNOMVW) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable	(SCBMSVM) <input type="text"/>	(SCBNOMVM) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable
c. While taking buprenorphine for an extended period (at least 3 months) (SCBEXPVW)	<input type="text"/>	(SCBNOEVM) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable	(SCBEXPVM) <input type="text"/>	(SCBNOEVM) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable

9. Has your program provided long-term buprenorphine treatment lasting for periods of at least 3 months under the Waiver Program?(SCBLTWPG) 0-No 1-Yes

If "No", why not: (select all that apply)

 - The program wants to but has not yet had the opportunity(SCBNOOPT) 0-No 1-Yes
 - The program prefers detoxification and "abstinence only" (drug-free) treatment(SCBDETOX) 0-No 1-Yes
 - The program doesn't want to provide long-term buprenorphine treatment(SCBNLTRM) 0-No 1-Yes
 - The program needs more knowledge about long-term buprenorphine treatment to feel comfortable(SCBKWLKG) 0-No 1-Yes
 - Clients' inability to pay for treatment/medication costs needed for long-term treatment(SCBNOPAY) 0-No 1-Yes
 - Limited third party reimbursement for buprenorphine medication/treatment(SCBLIMIT) 0-No 1-Yes
 - Providing shorter treatment allows the program to treat more clients (due to 0-No 1-Yes

the client limits)(SCBSHRTT)

Other(SCBOTWPR)

0-No 1-Yes

If "Other", specify:(SCBOTWSP)

10. Thinking only about OUTPATIENT buprenorphine clients who have received the same dose of buprenorphine for at least two weeks, what percentage of these clients receive: (enter 0 if none) (sum=100%)

- a. 4 milligrams or less of buprenorphine(SCBUPL04) %
- b. 5-7 milligrams of buprenorphine(SCBUPL07) %
- c. 8-12 milligrams of buprenorphine(SCBUPL12) %
- d. 13-15 milligrams of buprenorphine(SCBUPL15) %
- e. 16-23 milligrams of buprenorphine(SCBUPL23) %
- f. 24-31 milligrams of buprenorphine(SCBUPL31) %
- g. 32 milligrams or more of buprenorphine(SCBUPM32) %

11. From which of the following payor/funding sources have you received reimbursement for providing buprenorphine treatment: (select all that apply)

- Public funds (e.g., Medicaid, State, Veterans Affairs)(SCBPFUND) 0-No 1-Yes
- Private insurers(SCBPRINS) 0-No 1-Yes
- Patients (or families) pay for treatment out-of-pocket(SCBPTPAY) 0-No 1-Yes
- Other(SCOTFBUP) 0-No 1-Yes
- If "Other", specify:(SCOTFBSP)
- I don't know(SCBIDKFD) 0-No 1-Yes

12. To what extent does your program encourage OUTPATIENT clients to **taper off from buprenorphine maintenance**?(SCBENCRG)

0-No extent
 1-A little extent
 2-Some extent
 3-A great extent
 4-A very great extent

How long after clients are admitted to your OUTPATIENT program are they typically encouraged to taper off from buprenorphine?(SCBTAPTM)

1-Under 3 months
 2-3-6 months
 3-7-12 months
 4-13-18 months
 5-19-24 months
 *Additional Options Listed Below

13. Is the use of buprenorphine a covered benefit in this state's Medicaid plan? (SCBCOVER)

0-No
 1-Yes
 97-Unknown
 98-Refused

14. Does your program offer or refer your buprenorphine clients for: (select all that apply)

- a. Concurrent substance use counseling (individual or group)
 - Offered onsite(SCBOFCOU) 0-No 1-Yes
 - Referred off-site(SCBRFCOU) 0-No 1-Yes
- b. Mental health/psychiatric care (as appropriate)
 - Offered onsite(SCBOFMHT) 0-No 1-Yes
 - Referred off-site(SCBRFMHT) 0-No 1-Yes
- c. Urine drug testing
 - Offered onsite(SCBOFUDS) 0-No 1-Yes
 - Referred off-site(SCBRFUDS) 0-No 1-Yes
 - 1. For what percentage of your current clients receiving buprenorphine do you perform urine drug testing?(SCUDSBUP) %
 - 2. What is the typical number of urine drug tests per month **per client**? (SCUDSMTB) tests

15. Among clients receiving buprenorphine, which drug metabolites do you routinely test for?

- a. Alcohol (e.g. Ethyl glucuronide/ethyl sulfate) (SCBUPALC) 0-No 1-Yes
- b. Amphetamines (SCBUPAMP) 0-No 1-Yes
- c. Benzodiazepines 16. (SCBUPBNZ) 0-No 1-Yes
- a. Cocaine (SCBUPCOC) 0-No 1-Yes
- b. Marijuana/THC

	<i>(SCBUPTHC)</i>	0-No	1-Yes
c. Opiates	<i>(SCBUPOPI)</i>	0-No	1-Yes
d. Oxycodone	<i>(SCBUPOXY)</i>	0-No	1-Yes
e. Methadone	<i>(SCBUPMTH)</i>	0-No	1-Yes
f. Buprenorphine	<i>(SCBUPBUP)</i>	0-No	1-Yes
g. Psychedelics	<i>(SCBUPPSY)</i>	0-No	1-Yes

17. On average, how many consecutive weeks of positive urine tests will lead to discharge from your program?*(SCBPSUDS)*

(xx) consecutive weeks *(SCBNODIS)*OR 1- No discharge based on urine drug test results

Additional Selection Options for SC3

How long after clients are admitted to your OUTPATIENT program are they typically encouraged to taper off from buprenorphine?
6-25 months or more

NIDA Clinical Trials Network

Site Characteristics - OTP Page 3 (SC4)

Web Version: 1.0; 1.01; 05-10-18

Segment (PROTSEG): B

Visit number (VISNO):

NALTREXONE PROGRAM CHARACTERISTICS

1. What is the number of providers who are currently prescribing naltrexone in your program for the treatment of an opioid use disorder?(SCNPRSCB) providers

2. About how many clients has your program ever treated with naltrexone for opioid addiction:

	All or Almost All	Most	About Half	A Few	None	I Don't Know	Not Applicable
a. Were already in your program (SCNALRDY)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Sought you out on their own initiative because you could provide naltrexone treatment (SCNSOUGH)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. On average, about how many times does the client make an office visit:

	Approximate # visits/week	Additional contact made by phone or email
a. During naltrexone initiation (SCNIVWK)	<input type="text"/> (xx)	(SCNNOVW) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable
b. While taking naltrexone for an extended period (at least 3 months) (SCNEXPVW)	<input type="text"/> (xx)	(SCNONEVW) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable

4. Has your program provided naltrexone treatment lasting for periods of at least 3 months?(SCPRVNAL) 0-No 1-Yes

If "No", why not: (select all that apply)

- The program wants to but has not yet had the opportunity(SCNNOOPT) 0-No 1-Yes
- The program prefers "abstinence only" (drug-free) treatment(SCNABSTN) 0-No 1-Yes
- The program doesn't want to provide long-term naltrexone treatment(SCNNLTRM) 0-No 1-Yes
- The program needs more knowledge about long-term naltrexone treatment to feel comfortable(SCNLKNWG) 0-No 1-Yes
- Clients' inability to pay for treatment/medication costs needed for long-term treatment(SCNNOPAY) 0-No 1-Yes
- Limited third party reimbursement for naltrexone medication/treatment(SCNLIMIT) 0-No 1-Yes
- Providing shorter treatment allows the program to treat more clients (due to the client limits)(SCNSHORT) 0-No 1-Yes
- Other(SCOTNLTT) 0-No 1-Yes

If "Other", specify(SCOTNRSP)

5. From which of the following payor/funding sources have you received reimbursement for providing naltrexone treatment: (select all that apply)

- Public funds (e.g., Medicaid, State, Veterans Affairs)(SCNPFUND) 0-No 1-Yes
- Private insurers(SCNPRINS) 0-No 1-Yes
- Patients (or families) pay for treatment out-of-pocket(SCNPTPAY) 0-No 1-Yes
- Other(SCOTFNAL) 0-No 1-Yes

If "Other", specify:(SCOTFNSP)

I don't know(SCNIDKFD) 0-No 1-Yes

6. To what extent does your program encourage clients to taper off of naltrexone? (SCNTAPR)

0-No extent

1-A little extent

2-Some extent

3-A great extent

4-A very great extent

How long after clients are admitted to your program are they typically encouraged to taper off of naltrexone?(SCNLGTPR)

01-Under 3 months
 02-3-6 months
 03-7-12 months
 04-13-18 months
 05-19-24 months
 *Additional Options Listed Below

7. Is the use of naltrexone a covered benefit in this state's Medicaid plan?(SCNCOVER)

0-No
 1-Yes
 97-Unknown
 98-Refused

8. Does your program offer or refer your naltrexone clients for: (select all that apply)

a. Concurrent substance use counseling (individual or group)

Offered onsite(SCNOFCOU)	0-No	1-Yes
Referred off-site(SCNRFYOU)	0-No	1-Yes

b. Mental health/psychiatric care (as appropriate)

Offered onsite(SCNOFMHT)	0-No	1-Yes
Referred off-site(SCNRFMHT)	0-No	1-Yes

c. Urine drug testing

Offered onsite(SCNOFUDS)	0-No	1-Yes
Referred off-site(SCNRFUDS)	0-No	1-Yes

1. For what percentage of your current patients receiving naltrexone do you perform urine drug testing?(SCUDSNAX) (xxx) %

2. What is the typical number of urine drug tests per month per patient? (SCUDSMT) (xxx) tests

9. Among clients receiving naltrexone, which drug metabolites do you routinely test for:

- | | | | |
|---|------------|------|-------|
| a. Alcohol (e.g. Ethyl glucuronide/ethyl sulfate) | (SCNALALC) | 0-No | 1-Yes |
| b. Amphetamines | (SCNALAMP) | 0-No | 1-Yes |
| c. Benzodiazepines | (SCNALBNZ) | 0-No | 1-Yes |
| d. Cocaine | (SCNALCOC) | 0-No | 1-Yes |
| e. Marijuana/THC | (SCNALTHC) | 0-No | 1-Yes |
| f. Opiates | (SCNALOPI) | 0-No | 1-Yes |
| g. Oxycodone | (SCNALOXY) | 0-No | 1-Yes |
| h. Methadone | (SCNALMTH) | 0-No | 1-Yes |
| i. Buprenorphine | (SCNALBUP) | 0-No | 1-Yes |
| j. Psychedelics | (SCNALPSY) | 0-No | 1-Yes |

10. On average, how many consecutive weeks of positive urine tests will lead to discharge from your program?(SCNPSUDS)

(xx) consecutive weeks (SCNNODIS)OR
 1- No discharge based on urine drug test results

Comments:(SC4COMM)

Additional Selection Options for SC4

How long after clients are admitted to your program are they typically encouraged to taper off of naltrexone?
06-25 months or more

NIDA Clinical Trials Network

Site Characteristics - Community Page 1 (SC5)

Web Version: 1.0; 2.00; 08-30-18

Segment (PROTSEG): B
 Visit number (VISNO):

It is recommended that you complete the paper version of this form before proceeding. After completing on paper, enter your survey responses for the questions below using a computer or iPad. If you have not received this form, please email your site Principal Investigator.

We are evaluating the outcomes of patients with an opioid use disorder who have received treatment in the Emergency Department. Since patients may receive care in your practice we would like to know more about your setting. Your responses will be kept confidential and we will only share a summary of these findings with others so that we can try to improve the treatment of patients with opioid use disorder in the Emergency Department. Note, completing this form requires input from both clinical and administrative personnel.

We would like to start by asking about the characteristics of your clinic/facility/institution or practice (hereafter referred to as "practice"), then questions related to your addiction services provided by your practice and lastly, specific buprenorphine and naltrexone practice characteristics.

Site facility name:(SC5FACPR)

Date survey completed:(SC5ASMDT)

PROVIDER INFORMATION (PERSON COMPLETING THIS SURVEY)

1. Which title below most accurately describes your current role at your practice?(SCCRTRLE)

01-Executive director
 02-Clinician administrator (e.g., Medical director)
 03-Medical provider
 99-Other

If "Other", specify:(SCROLESP)

GENERAL PRACTICE INFORMATION

2. For each of the following, indicate how many providers and staff currently work in your practice on a regular basis: (exclude moonlighters or casual per diem)(enter 0 if none)

	Total Number
a. Board eligible or certified physicians	(SCCTPHYS) <input type="text"/>
Internal medicine	(SCINTMED) <input type="text"/>
Board-certified addiction medicine	(SCIMCERT) <input type="text"/>
Pediatrics	(SCPEDPHY) <input type="text"/>
Board-certified addiction medicine	(SCPDCERT) <input type="text"/>
Family medicine	(SCFAMMED) <input type="text"/>
Board-certified addiction medicine	(SCFMCERT) <input type="text"/>
Psychiatrists	(SCPSYCH) <input type="text"/>
Board-certified addiction psychiatrist	(SCPSCERT) <input type="text"/>
b. Resident physicians	(SCRSPHYS) <input type="text"/>
c. Fellow physicians	(SCFELLOW) <input type="text"/>
d. Nurse practitioners	(SCNURSPR) <input type="text"/>
e. Physician assistants	(SCPHYSAT) <input type="text"/>
f. Social workers	(SCSOWRK) <input type="text"/>
g. Nurses	(SCNURSES) <input type="text"/>
h. Medical assistants	(SCMEDAST) <input type="text"/>
i. Clinical pharmacists	(SCCLPHRM) <input type="text"/> (xxxxx)
j. Counselor/health educators	(SCCOUEDU) <input type="text"/> (xxxxx)

k. Other (SCOTPPRV)

If "Other", specify: (SCOTPOSP)

3. What is the zip code for your practice? (SCZIPCDE)

4. What is the total number of unique patients seen at your practice, on average, in a given year?(SCUNQPTS) (xxxxx) patients

5. During your last normal week of practice, approximately how many office visit encounters did you have at this office location?(SCVISENC) encounters

6. Indicate the percentage of patients in your practice of each gender: (sum=100%)

a. Male(SCMALE) %

b. Female(SCFEMALE) (xxx) %

7. Indicate the percentage of patients in your practice of each race: (sum=100%)

a. White(SCWHITE) %

b. Black or African American(SCBLACK) %

c. Asian(SCASIAN) %

d. Native Hawaiian or Other Pacific Islander(SCHAWAII) %

e. American Indian or Alaska Native(SCAMEIND) %

f. Prefer not to answer(SCRACERF) %

8. Estimate the percentage of patients treated in your practice of each ethnicity: (sum=100%)

a. Hispanic or Latino(SCHISPNC) %

b. Not Hispanic or Latino(SCNOHSPC) %

9. Estimate the percentage of patients treated in your practice who are non-English speaking: (sum=100%)

a. Spanish-speaking only(SCSPKSPN) %

b. Only speak a language that is not English or Spanish(SCNOENSP) %

10. Of patients in your current active practice, of working age, what percentage would you estimate are unemployed? (enter 0 if none) (SCUNEMPL) %

11. Indicate the percentage of patients treated in your practice with each of the following types of insurance: (sum=100%)

a. Medicare(SCMDCARE) %

b. Medicaid(SCMDCAID) %

c. Private(SCPRINSR) %

d. Self-Pay(SCSLFPAY) %

e. Veteran Affairs(SCVTAFR) %

f. Other(SCOTINSR) %

If "Other", specify:(SCOTINSP)

12. Choose ALL of the type(s) of settings that describe your office: (select up to 3)

Private solo or group practice(SCPRIVAT) 0-No 1-Yes

Freestanding clinic/urgent care center (not part of a hospital outpatient department)(SCURGCRE) 0-No 1-Yes

Hospital outpatient department(SCHOSPOT) 0-No 1-Yes

Mental health center(SCMNTLCN) 0-No 1-Yes

Non-federal government clinic (e.g., state, county, city, maternal and child health, etc.)(SCNONGOV) 0-No 1-Yes

Family planning clinic (including Planned Parenthood)(SCFAMPLN) 0-No 1-Yes

Federal government operated clinic (e.g., VA, military, etc.)(SCFEDGOV) 0-No 1-Yes

Health maintenance organization or other prepaid practice (e.g., Kaiser) 0-No 1-Yes

Permanente)(SCHLTHMT)

Faculty practice plan(SCPRCPLN) 0-No 1-Yes

Community Health Center (e.g., Federally Qualified Health Center (FQHC), federally funded clinics or 'look alike' clinics)(SCCOMCTR) 0-No 1-Yes

13. Is your practice owned by:

a. Physician/physician group(SCOWNPHY) 0-No 1-Yes

b. Insurance company, health plan, or HMO(SCOWNINS) 0-No 1-Yes

c. Community health center(SCOWNCOM) 0-No 1-Yes

d. Medical/academic health center(SCOWNMED) 0-No 1-Yes

e. Other hospital(SCOWOTHP) 0-No 1-Yes

f. Other health care corporation(SCOTHCOW) 0-No 1-Yes

g. Other(SCOTOWN) 0-No 1-Yes

If "Other", specify:(SCOTOWSP)

14. Is your practice operated by the federal government?(SCOPFGOV) 0-No 1-Yes

15. Is your practice certified as a patient-centered medical home?(SCPATCTR) 0-No 1-Yes 97-Unknown

16. Which of the following accreditations or licenses does your practice currently have:

a. JCAHO (Joint Commission on Accreditation of Healthcare Organizations)(SCJCAHO) 0-No 1-Yes 97-Unknown 98-Refused

b. CARF (Commission on Accreditation of Rehabilitation Facilities)(SCCARF) 0-No 1-Yes 97-Unknown 98-Refused

c. NCQA (National Committee for Quality Assurance)(SCNCQA) 0-No 1-Yes 97-Unknown 98-Refused

17. Roughly, what percentage of your patient care revenue comes from: (revenue sources should sum close to 100%)

a. Medicare(SCRVMCRE) %

b. Medicaid(SCRVMCDE) %

c. Private insurance(SCRVPINS) %

d. Patient payments(SCRVPPAY) %

e. Other (including charity, research, Tricare, VA, etc.)(SCRVOT) %

18. Roughly, what percentage of the patient care revenue received by this practice comes from managed care contracts? (SCMNGREV) %

19. Roughly, what percentage of your patient care revenue comes from each of the following methods of payment: (revenue sources should sum close to 100%)

a. Fee-for-service(SCSRVFEE) %

b. Capitation(SCCAPTN) %

c. Case rates (e.g., package pricing/episode of care)(SCCSERTE) %

d. Other(SCOTHREV) %

20. What percentage of total revenues did your practice receive directly from the following sources:

a. State block grants(SCBLKGRT) %

b. Medicaid fee-for-service(SCMCDFEE) %

c. Medicaid managed care(SCMDCRE) %

d. Medicare fee-for-service(SCMCRFEE) %

e. Medicare managed care(SCMEDCRE)

- f. From other public sources(SCPUBSRV) %
- g. Private or commercial fee-for-service insurance(SCPRFEIN) %
- h. Private or commercial managed care insurance(SCPRMCIN) %
- i. Patient/Self-Pay (not including co-pays) (SCPRSLFP) %
- j. Patient co-pay(SCPACPAY) %
- k. Other sources not listed(SCOTSREV) %
- If "Other", specify:(SCOTSRSP)

21. Does your practice:

- a. Provide professional coverage for patient medical emergencies during hours when the practitioner's practice is closed(SCCOVERGE) 0-No 1-Yes
- b. Provide access to case-management services for patients including referral and follow-up services for programs that provide, or financially support, the provision of services such as medical, behavioral, social, housing, employment, educational, or other related services(SCCSEMSV) 0-No 1-Yes
- c. Use health technology (health IT) systems such as electronic health records, if otherwise required to use these systems in the practice setting. Health IT means the electronic systems that health care professionals and patients use to store, share, and analyze health information(SCHLTTEC) 0-No 1-Yes
- d. Accept third-party payment for costs in providing health services, including written billing, credit, and collection policies and procedures, or federal health benefits(SCTHRPYM) 0-No 1-Yes

22. Is your practice registered for your state Prescription Drug Monitoring Program (PDMP) where operational and in accordance with federal and state law? (SCPDMP) 0-No 1-Yes

23. To what extent does your practice have staff members who work specifically on the prevention of HIV/AIDS?(SCHIVPRV)

0-No extent ▲

1-A little extent

2-Some extent

3-A great extent

4-A very great extent ▼

24. During the last complete fiscal year how many patients in treatment in your practice received HIV testing? (enter 0 if none) (SCHIVTST) patients

25. During the last complete fiscal year how many patients in treatment in your practice received Hepatitis C testing? (enter 0 if none) (SCHVCTST) patients

26. Of the total number of patients at your practice treated in the most recent complete fiscal year, what percentage: (enter 0 if none)

- a. Have a diagnosis of chronic Hepatitis C(SCCHRHVC) %
- b. Were taking Hepatitis C medications upon entry into treatment at your practice(SCHVCMED) %
- c. Were diagnosed with HIV(SCDXHIV) %
- d. Were taking HIV medications upon entry into treatment at your practice(SCHIVMED) %
- e. Were taking psychotropic medication upon entry into treatment at your practice(SCPSYMED) %
- f. Were veterans(SCVETERN) %

ADDICTION SERVICES INFORMATION

27. Indicate the percentage of patients treated in your practice who use (not prescribed) the following substances:

- a. Tobacco/nicotine(SCTOBACC) %

- b. Alcohol(SCALCOHL) %
- c. Cocaine or "crack"(SCCOCCRK) %
- d. Amphetamine, crystal meth, ice or ecstasy(SCAMPTHM) %
- e. Other stimulants (Ritalin, Adderall) (SCSTIMLT) %
- f. Heroin(SCHEROIN) %
- g. Prescription opioids(SCOPIOID) %
- h. Marijuana(SCMARIJU) %
- i. Benzodiazepines(SCBENZO) %
- j. Other(SCOTHSUB) %

If "Other", specify:(SCOTSBSP)

28. What percentage of patients at your practice in the most recent complete fiscal year whose use of drugs involved **injection with needles**? (enter 0 if none) (SCINJNED) %

29. What are the current treatment services provided **on-site** in your practice to address: (select all that apply)

	Medication			Counseling		
a. Opioid Use Disorder (SCMEDOPI)	0-No	1-Yes	(SCCNSOPI)	0-No	1-Yes	
b. Alcohol Use Disorder (SCMEDALC)	0-No	1-Yes	(SCCNSALC)	0-No	1-Yes	
c. Tobacco Use Disorder (SCMEDTOB)	0-No	1-Yes	(SCCNSTOB)	0-No	1-Yes	

30. What are the levels of service (as designated by the American Society of Addiction Medicine) provided by your practice:

Level I: Outpatient treatment This level of care includes treatment that occurs in regularly scheduled sessions usually totaling fewer than 9 contact hours per week.(SCSLVL01)	0-No	1-Yes
Level II: Intensive outpatient treatment (Intensive Outpatient and Partial Hospitalization) This level of care includes treatment that occurs in regularly scheduled sessions totaling 9 to 19 hours of skilled treatment services per week. (SCSLVL02)	0-No	1-Yes
Level III: Residential/inpatient treatment This level of care includes 24-hour observation, monitoring, and treatment. A multidisciplinary staff functions under medical supervision.(SCSLVL03)	0-No	1-Yes
Level IV: Medically managed intensive inpatient treatment This level of care includes addiction professionals and clinicians who provide a planned regimen of 24-hour medically directed evaluation, care, and treatment in an acute care inpatient setting.(SCSLVL04)	0-No	1-Yes

31. What is the average number of patients per month seen at your practice who meet criteria for an opioid use disorder? (SCAVGMTH) patients

32. What percentage of your practice's patients with an opioid use disorder are prescribed opioid agonist treatment? (enter 0 if none) (SCOPITRT) (xxx) %

33. Currently, how many people are waiting to receive treatment for opioid use disorder from your practice? (enter 0 if none] (SCPLWAIT) (xxxx) people

How many days, on average, do these people have to wait to begin treatment?(SCDYWAIT) days

34. In the last complete fiscal year, what percentage of your patients with opioid use disorder received a first treatment session within 14 days after their initial assessment?(SCFRSTRT) %

35. Which best describes the process by which your patients get into treatment at

your practice to address their opioid use disorder?(*SCOPIPRC*)

- 01-They are provided advice and information about community resources
- 02-They are provided a written referral to our practice
- 03-An addiction appointment (intake or practice slot) is set-up during a clinical visit
- 04-We have a patient navigator or case manager who facilitates linkage to addiction treatment
- 99-Other

If "Other", specify:(*SCOTPCSP*)

36. To what extent is the Alcoholics Anonymous or Narcotics Anonymous 12-step model of treatment effective with patients who use substances? (*SCAAEFFT*)

- 0-No extent
- 1-A little extent
- 2-Some extent
- 3-A great extent
- 4-A very great extent

37. What medication does your practice provide for the treatment of opioid use disorder: (*select all that apply*)

Buprenorphine or buprenorphine/naloxone - sublingual film or tablets, buccal film (e.g., Suboxone, Bunavail, Zubsolv) (<i>SCBUPFLM</i>)	0-No	1-Yes
Buprenorphine implants (e.g., Probuphine)(<i>SCBUPIMP</i>)	0-No	1-Yes
Naltrexone - oral (e.g., Revia) (<i>SCNALTXO</i>)	0-No	1-Yes
Extended-release naltrexone - injectable (e.g., Vivitrol)(<i>SCNALTXI</i>)	0-No	1-Yes
Other(<i>SCMEDOT</i>)	0-No	1-Yes

If "Other", specify:(*SCMDOTSP*)

BUPRENORPHINE PRACTICE CHARACTERISTICS

38. For how many patients is your practice allowed to provide buprenorphine? (*xxxxx*) patients (*SCPATBUP*)

39. What is the current number of providers in your practice who have a DEA waiver that allows them to prescribe buprenorphine (e.g. Suboxone) for the treatment of opioid use disorder?(*SCDEAWVR*) providers

40. What is the number of providers who are currently prescribing buprenorphine (e.g., Suboxone) in your practice for the treatment of opioid use disorder? (*SCBPRSCB*) providers

41. What was the date that this practice first started to utilize buprenorphine? (*SCBUSEDT*)

42. About how many patients has your practice ever treated with buprenorphine for opioid addiction under the Waiver Program:

All or almost all Most About half A few None I don't know N/A

- a. Were already in your practice (*SCBALRDY*)
- b. Sought you out on their own initiative because you could provide buprenorphine treatment (*SCBSOUGH*)

43. On average, about how many times does the patient make an office visit:

	Approximate # visits/week	Additional contact made by phone or email	Approximate # visits/month	Additional contact made by phone or email
a. During buprenorphine induction (<i>SCBIVSWK</i>)		(<i>SCBNOIVS</i>) 1-Yes 96-Not applicable		
b. While undergoing medically supervised withdrawal (detoxification) from opioids using buprenorphine (<i>SCBMSVW</i>)		(<i>SCBNOMVW</i>) 1-Yes 96-Not applicable	(<i>SCBMSVM</i>)	(<i>SCBNOMVM</i>) 1-Yes 96-Not applicable
c. While taking buprenorphine for an extended period (at least 3 months) (<i>SCBEXPVW</i>)		(<i>SCBNOEVW</i>) 1-Yes 96-Not applicable	(<i>SCBEXPVM</i>)	(<i>SCBNOEVM</i>) 1-Yes 96-Not applicable

44. Has your practice provided long-term buprenorphine treatment lasting for periods of *at least 3 months* under the Waiver Program?(*SCBLGWPG*)

If "No", why not: (*select all that apply*)

The practice wants to but has *not* yet had the opportunity(*SCBNOOPT*)

The practice prefers detoxification and "abstinence only" (drug-free) treatment(SCBDETOX)	0-No	1-Yes
The practice doesn't want to provide long-term buprenorphine treatment(SCBNLTRM)	0-No	1-Yes
The practice needs more knowledge about long-term buprenorphine treatment to feel comfortable(SCBKRWLG)	0-No	1-Yes
Patients' inability to pay for treatment/medication costs needed for long-term treatment(SCBNOPAY)	0-No	1-Yes
Limited third party reimbursement for buprenorphine medication/treatment(SCBLIMIT)	0-No	1-Yes
Providing shorter treatment allows the practice to treat more patients (due to the patient limits) (SCBSHRTT)	0-No	1-Yes
Other(SCBOTWPR)	0-No	1-Yes
If "Other", specify: (SCBOTPSP)		

45. Thinking only about patients receiving buprenorphine who have received the same dose of buprenorphine for at least two weeks, what percentage of these patients receive: (enter 0 if none) (sum=100%)

a. 4 milligrams or less of buprenorphine(SCBUPL04)	%
b. 5-7 milligrams of buprenorphine(SCBUPL07)	%
c. 8-12 milligrams of buprenorphine(SCBUPL12)	%
d. 13-15 milligrams of buprenorphine(SCBUPL15)	%
e. 16-23 milligrams of buprenorphine(SCBUPL23)	%
f. 24-31 milligrams of buprenorphine(SCBUPL31)	%
g. 32 milligrams or more of buprenorphine(SCBUPL32)	%

46. What percentage of patients receiving buprenorphine were prescribed/received:

a. Generic form of buprenorphine(SCBUPGEN)	%
b. Rapid-dissolve form (i.e., film) (SCBUPDSL)	%
c. Implanted buprenorphine(SCIMPBUP)	%

47. Does your practice offer or refer your buprenorphine patients for: (select all that apply)

a. Concurrent substance use counseling (individual or group)		
Offered onsite(SCBOFCOU)	0-No	1-Yes
Referred off-site(SCBRFCOU)	0-No	1-Yes
b. Mental health/psychiatric care (as appropriate)		
Offered onsite(SCBOFMHT)	0-No	1-Yes
Referred off-site(SCBRFMHT)	0-No	1-Yes
c. Urine drug testing		
Offered onsite(SCBOFUDS)	0-No	1-Yes
Referred off-site(SCBRFUDS)	0-No	1-Yes
1. For what percentage of your current patients receiving buprenorphine do you perform urine drug testing? (SCUDSBUP)		%
2. What is the typical number of urine drug tests per month per patient?(SCUDSMTB)		tests

48. Among patients receiving buprenorphine, which drug metabolites do you routinely test for?

a. Alcohol (e.g., Ethyl glucuronide/ethyl sulfate)	(SCBUPALC)	0-No	1-Yes
b. Amphetamines	(SCBUPAMP)	0-No	1-Yes
c. Benzodiazepines	49. (SCBUPBNZ)	0-No	1-Yes
a. Cocaine	(SCBUPCOC)	0-No	1-Yes

b. Marijuana/THC	(SCBUPTHC)	0-No	1-Yes
c. Opiates	(SCBUPOPI)	0-No	1-Yes
d. Oxycodone	(SCBUPOXY)	0-No	1-Yes
e. Methadone	(SCBUPMTH)	0-No	1-Yes
f. Buprenorphine	(SCBUPBUP)	0-No	1-Yes
g. Psychedelics	(SCBUPPSY)	0-No	1-Yes

50. On average, how many consecutive weeks of positive urine tests will lead to discharge from your practice?(SCBPSUDS) (xx) consecutive weeks OR (SCBNODIS)
 1- No discharge based on urine drug test results

51. From which of the following payor/funding sources have you received reimbursement for providing buprenorphine treatment: (select all that apply)

Public funds (e.g., Medicaid, State, Veterans Affairs)(SCBPFUND)	0-No	1-Yes
Private insurers(SCBPRINS)	0-No	1-Yes
Patients (or families) pay for treatment out-of-pocket(SCBTPAY)	0-No	1-Yes
Other(SCOTFBUP)	0-No	1-Yes
If "Other", specify:(SCOTFBSP)		
I don't know(SCBIDKFD)	0-No	1-Yes

52. To what extent does your practice encourage patients to taper off of buprenorphine?(SCBTAPR)

0-No extent ▲

1-A little extent

2-Some extent

3-A great extent

4-A very great extent ▼

How long after patients are admitted to your practice are they typically encouraged to taper off of buprenorphine?(SCBLGTPR)

01-Under 3 months ▲

02-3-6 months

03-7-12 months

04-13-18 months

05-19-24 months

*Additional Options Listed Below ▼

53. Is the use of buprenorphine a covered benefit in this state's Medicaid plan? (SCBCOVER)

0-No ▲

1-Yes

97-Unknown

98-Refused ▼

Survey continued on next page.

Additional Selection Options for SC5

How long after patients are admitted to your practice are they typically encouraged to taper off of buprenorphine?
06-25 months or more

NIDA Clinical Trials Network

Site Characteristics - Community Page 2 (SC6)

Web Version: 1.0; 1.01; 05-10-18

Segment (PROTSEG): B

Visit number (VISNO):

NALTREXONE PRACTICE CHARACTERISTICS

1. What is the number of providers who are currently prescribing naltrexone in your practice for the treatment of an opioid use disorder? (SCNPRSCB) providers

2. About how many of the patients has your practice ever treated with naltrexone for opioid addiction:

- | | All or almost all | Most | About half | A few | None | I don't know | Not applicable |
|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| a. Were already in your practice (SCNALRDY) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b. Sought you out on their own initiative because you could provide naltrexone treatment (SCNSOUGH) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

3. On average, about how many times does the patient make an office visit:

- | | Approximate # visits/week | Additional contact made by phone or email |
|---|---------------------------|--|
| During naltrexone initiation (SCNIVWK) | <input type="text"/> (xx) | (SCNNOVW) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable |
| While taking naltrexone for an extended period (at least 3 months) (SCNEXPVW) | <input type="text"/> (xx) | (SCNONEVW) <input type="checkbox"/> 1-Yes <input type="checkbox"/> 96-Not applicable |

4. Has your practice provided naltrexone treatment lasting for periods of at least 3 months? (SCPRVNAL) 0-No 1-Yes

If "No", why not: (select all that apply)

- The practice wants to but has not yet had the opportunity (SCNNOOPT) 0-No 1-Yes
- The practice prefers "abstinence only" (drug-free) treatment (SCNABSTN) 0-No 1-Yes
- The practice doesn't want to provide long-term naltrexone treatment (SCNNLTRM) 0-No 1-Yes
- The practice needs more knowledge about long-term naltrexone treatment to feel comfortable (SCNLKNWG) 0-No 1-Yes
- Patients' inability to pay for treatment/medication costs needed for long-term treatment (SCNNOFAY) 0-No 1-Yes
- Limited third party reimbursement for naltrexone medication/treatment (SCNLIMIT) 0-No 1-Yes
- Providing shorter treatment allows the practice to treat more patients (due to the patient limits) (SCNSHORT) 0-No 1-Yes
- Other (SCOTNLTT) 0-No 1-Yes

If "Other", specify (SCOTNRSP)

5. Does your practice offer or refer your naltrexone patients for: (select all that apply)

- a. Concurrent substance use counseling (individual or group)
 - Offered onsite (SCNOFCOU) 0-No 1-Yes
 - Referred off-site (SCNRFCOU) 0-No 1-Yes
 - b. Mental health/psychiatric care (as appropriate)
 - Offered onsite (SCNOFMHT) 0-No 1-Yes
 - Referred off-site (SCNRFMHT) 0-No 1-Yes
 - c. Urine drug testing
 - Offered onsite (SCNOFUDS) 0-No 1-Yes
 - Referred off-site (SCNRFUDS) 0-No 1-Yes
1. For what percentage of your current patients receiving naltrexone do you perform urine drug testing? (SCUDSNAL) %
2. What is the typical number of urine drug tests per month per patient? (SCUDSMTN) tests

6. Among patients receiving naltrexone, which drug metabolites do you routinely test for:

- a. Alcohol (e.g., Ethyl glucuronide/ethyl sulfate) (SCNALALC) 0-No 1-Yes
- b. Amphetamines (SCNALAMP) 0-No 1-Yes

c. Benzodiazepines	(SCNALBNZ)	0-No	1-Yes
d. Cocaine	(SCNALCOC)	0-No	1-Yes
e. Marijuana/THC	(SCNALTHC)	0-No	1-Yes
f. Opiates	(SCNALOPI)	0-No	1-Yes
g. Oxycodone	(SCNALOXY)	0-No	1-Yes
h. Methadone	(SCNALMTH)	0-No	1-Yes
i. Buprenorphine	(SCNALBUP)	0-No	1-Yes
j. Psychedelics	(SCNALPSY)	0-No	1-Yes

7. On average, how many consecutive weeks of positive urine tests will lead to discharge from your practice?(SCNPSUDS) (xx) consecutive weeks OR (SCNNODIS)

1- No discharge based on urine drug test results

8. From which of the following payor/funding sources have you received reimbursement for providing naltrexone treatment: (select all that apply)

Public funds (e.g., Medicaid, State, Veterans Affairs)(SCNPFUND)	0-No	1-Yes
Private insurers(SCNPRINS)	0-No	1-Yes
Patients (or families) pay for treatment out-of-pocket(SCNPTPAY)	0-No	1-Yes
Other(SCOTFNAL)	0-No	1-Yes
If "Other", specify:(SCOTFNSP)		
I don't know(SCNIDKFD)	0-No	1-Yes

9. To what extent does your practice encourage patients to taper off of naltrexone? (SCNTAPR)

0-No extent

1-A little extent

2-Some extent

3-A great extent

4-A very great extent

How long after patients are admitted to your practice are they typically encouraged to taper off of naltrexone?(SCNLGTPR)

01-Under 3 months

02-3-6 months

03-7-12 months

04-13-18 months

05-19-24 months

*Additional Options Listed Below

10. Is the use of naltrexone a covered benefit in this state's Medicaid plan?(SCNCOVER)

0-No

1-Yes

97-Unknown

98-Refused

Comments:(SC6COMM)

Additional Selection Options for SC6

How long after patients are admitted to your practice are they typically encouraged to taper off of naltrexone?
06-25 months or more

NIDA Clinical Trials Network

Introduction - START HERE (WEL)

Web Version: 1.0; 2.02; 05-29-18

Segment (PROTSEG): B

Visit number (VISNO):

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Richard Rothman (rrothma1@jhmi.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Lynne Richardson (lynnr.richardson@mountsinai.org) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Michael Lyons (lyonsme@ucmail.uc.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Lauren Whiteside (laurenkw@u.washington.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrows at the bottom of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Richard Rothman (rrothma1@jhmi.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrows at the bottom of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Lynne Richardson (lynnr.richardson@mountsinai.org) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrows at the bottom of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Michael Lyons (lyonsme@ucmail.uc.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your Emergency Department and models of care for treating opioid use disorder with

buprenorphine. This survey should take you approximately 10 minutes to complete. By clicking the forward arrows at the bottom of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Lauren Whiteside (laurenkw@u.washington.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your practice/program and models of care for treating opioid use disorder. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Robert Schwartz (rschwartz@friendsresearch.org) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your practice/program and models of care for treating opioid use disorder. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Richard Rosenthal (richard.rosenthal@mountsinai.org) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your practice/program and models of care for treating opioid use disorder. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Christine Wilder (wilderch@ucmail.uc.edu) with any questions or concerns.

The purpose of this study is to learn some basic characteristics of the providers and staff working at your practice/program and models of care for treating opioid use disorder. This survey should take you approximately 10 minutes to complete. By clicking the forward arrow at the bottom right of this screen, you are agreeing to take part in this study and understand that your responses will be used for research purposes. This study is being administered through the Yale University School of Medicine and has received Institutional Review Board (IRB) approval from Western Institutional Review Board (WIRB) and each of the participating sites. Your participation is completely voluntary and you do not have to participate if you do not want to; also you may skip questions you do not feel comfortable answering. Your responses will be kept confidential and will only be shared in aggregate and will not impact your job role.

Browsers at work may have different security settings. If you experience any difficulties being directed to the survey or during the survey, try to open the link to the survey in a different browser or using a non-work computer or network. We also recommend that you complete this survey on a desktop computer or laptop. Please contact Dr. Judith Tsui (tsuij@uw.edu) or Dr. Jared Klein (jaredwk@uw.edu) with any questions or concerns.

Please contact Sarah Meyers-Ohki (sarah.meyers-ohki@nyumc.org) with any questions or concerns.

Please contact Kathleen Bell (Kathleen.Bell@dartmouth.edu) with any questions or concerns.

Please contact Mara Robinson (Mara.A.Robinson@dartmouth.edu) with any questions or concerns.

Please enter the date you are completing this survey (today's date): (WELASMDT)

(mm/dd/yyyy)